


# **Index**

AIR CLEANER	64-66-68-70
ALTERNATOR	
BEARINGS - CONNECTING ROD	
BEARINGS - CRANKSHAFT MAIN	
CAMSHAFT AND RELATED PARTS	
CARBURETOR	44
CLUTCH AND RELATED PARTS	12-14
CONNECTING ROD	6
CONTROL - CHOKE	
CONTROL - THROTTLE	76-80
CRANKSHAFT AND RELATED PARTS	10
CYLINDER ASSEMBLY	
CYLINDER BLOCK AND PLUGS	2
CLYLINDER HEAD	2
DISTRIBUTOR	
EXHAUST PIPES	
FAN AND RELATED PARTS	
FLYWHEEL AND RING GEAR	
FRONT COVER - CYLINDER	
GASKET SETS - ENGINE LOWER AND UPPER	
GOVERNOR	
IGNITION COIL	
INSTRUMENTS	
MANIFOLDS - INTAKE & EXHAUST	
MUFFLER	
OIL FILTER	
OIL LEVEL INDICATOR	
OIL PAN	
PISTON	
POWER TAKE-OFF	
PLATE - REAR ENGINE	
PUMP - FUEL	_
PUMP - OIL	
PUMP - WATER	
RADIATOR AND RELATED PARTS	
SHEET METAL - POWER UNIT	
SPARK PLUGS	
STARTER	
SUPPORT - ENGINE	
TACHOMETER	
THERMOSTAT AND HOUSING	
TRANSMISSION	22-24-26-28
VALVE AND VALVE TRAIN PARTS	
VOLTAGE REGULATOR	<u> </u>

1








REF. NO.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
			CYLINDER BLOCK, HEAD AND RELATED PARTS	
1	70/	C20Z-6A008-A	DOWEL - CYLINDER HEAD TO BLOCK  Dowel - Cylinder Head to Block - 1/2 Diameter	2
'	70/	0202 0A000 A	CYLINDER ASSEMBLY  INCLUDES CYLINDER BLOCK WITH ALL INTERNAL PARTS OF THE ENGINE - DOES NOT INCLUDE OIL PAN, OIL PUMP, CYLINDER HEAD OR CYLINDER FRONT COVER	
2	70/	F2JE-6009-AA	Cylinder Assembly  BLOCK ASSEMBLY - CYLINDER	1
3	70/	F4JE-6010-GA	Block	1
4 5 6	70/ 70/ 70/	E5TZ-6019-H E6TZ-6020-B 391400-S	COVER ASSEMBLY - CYLINDER FRONT  Cover Assembly - Use E6DZ-6700-A Seal  Gasket - Front Cover  Bolt - 5/16-18 x .875	1 1 6
7 8 9 10 11 12 13	70/ 70/ 70/ 70/ 70/ 70/ 70/ 70/ 70/ 70/	C5AZ-6026-J C5AZ-6026-H E6DZ-6026-C C5AZ-6026-F C9AZ-6026-A C9AZ-6026-B F1ZZ-6026-B C5AZ-6266-A E9SZ-6266-A 87838-S101 F2ZZ-6026-A	PLUG - ENGINE  Standard - 2.078 OD - Rear Of Block And Cylinder Head .060 O/S - Read Of Block And Cylinder Head Standard - 1.625 OD - Clean Out Holes in Block .060 Oversize - Clean out Holes in Block Standard259 OD - Distributor Oil Access Hole in Block .060 O/S - Distributor Oil Access Hole in Block .060 O/S - Distributor Oil Access Hole in Block .1/4 NPT Plug - Standard - Camshaft Rear Bearing Plug060 OS - Camshaft Rear Bearing 3/8 NPT 3/4 NPT - Core Holes in Top Of Cylinder Head	2 A/R 5 A/R 1 A/R 1 A/R 3 4
14 15 16	70/ 70/ 70/	F7JL-5019-BA 43039-S2 380079-S36	SUPPORT - ENGINE FRONT           Support         Bolt - 7/16-14 x .875           Washer - 7/16 Flat         Washer - 7/16 Flat	1 4 4
17 18 19 20	70/ 70/ 70/84 85/ 70/ 70/	F1JEM-6049-AA D8TZ-6049-S E5TZ-6049-B C5TE-6057-A FOUZ-6051-A C2OZ-6065-B	* Cylinder Head Less Valves - With Exhaust Valve Seat Inserts	
21	70/86 87/	B6AZ-9278-B E9HZ-9278-B	SENDING UNIT - OIL PRESSURE  Sending Unit Sending Unit  * On Engines Built Prior To 1985 - It Is Necessary To Change The Washer Outlet Connection, Rocker Arms, Rocker Arm Cover, Rocker Arm Fulcrum Guide, Rocker Arm Fulcrum Seat Etc.	1 1








REF. NO.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
			GASKET SETS - ENGINE	
			GASKET SET - LOWER	
	70/85	E3TZ-6E078-D	Gasket Set	1
			CONSISTS OF:	
1		C8AZ-6020-A	Gasket - Front Cover	1
2		D5TZ-6626-A	Gasket - Oil Pump Inlet	1
3		EOTZ-6626-A E5TZ-6700-C	Gasket - Oil Pump Inlet Oil Seal - Front Cover - Rear Entry	1 1
4		E3TZ-6700-C	Seal - Crankshaft Rear	;
5		E3TE-6710-BA/NR	Gasket - Oil Pan - Right	i
6		E3TE-6711-BA/NR	Gasket - Oil Pan - Left	1
7		D6TE-6722-AA	Seal - Oil Pan - Front	1 1
8		D7TE-6723-AA/NR	Seal - Oil Pan - Rear	1 1
9 10		C2OZ-6734-A C5AZ-8507-A	Gasket - Oil Pan Drain Plug	1 1
11		A8TZ-9417-A	Gasket - Fuel Pump	
• •	85/87	E5TZ-6E078-B	Gasket Set	i
			CONSISTS OF:	
1		E6TZ-6020-B	Gasket - Front Cover	1
2		EOTZ-6626-A	Gasket - Oil Pump Inlet	1 1
3 4		E6DZ-6700-A E5TZ-6701-C	Oil Seal - Front Cover - Front Entry Seal - Crankshaft Rear	1 1
5		E3TE-6701-BA/NR	Gasket - Oil Pan - Right	Ιi
6		E3TE-6711-BA/NR	Gasket - Oil Pan - Left	i
7		D6TE-6722-AA	Seal - Oil Pan - Front	1
8		D7TE-6723-AA/NR	Seal - Oil Pan - Rear	1
9		C2OZ-6734-A	Gasket - Oil Pan Drain Plug	1
11	88/	A8TZ-9417-A	Gasket - Fuel Pump	1 1
	00/	E8TZ-6E078-C	CONSISTS OF:	'
1		E6TZ-6020-B	Gasket - Front Cover	1
2		EOTZ-6626-A	Gasket - Oil Pump Inlet	1
3		E6DZ-6700-A	Oil Seal - Front Cover - Front Entry	1
4		E7AZ-6701-A	Seal - Crankshaft Rear	1
5		E7TZ-6710-B	Gasket - Oil Pan - One Piece	1 1
9 11		C2OZ-6734-A C3AZ-9417-C	Gasket - Oil Pan Drain Plug	1 1
''		03AZ-9417-0	·	'
			GASKET SET - VALVE GRIND	
	70/87	E3TZ-6079-E	Gasket Set	1
10		D2AZ-6051-A	CONSISTS OF: Gasket - Cylinder Head	,
12 13		E4TZ-6521-A	Gasket - Push Rod Cover	li
14		B9A-6507-A	Grommet - Push Rod Cover Bolt	6
15		C7TE-6571-C	Seal - Valve Stem	6
		D6OZ-6571-A	Seal - Valve Stem	12
16		E5TZ-6584-D	Gasket - Rocker Arm Cover	1
17		E5TZ-8255-E	Gasket - Water Connector	1
18 19		C5AZ-9448-B E5TZ-9439-C	Gasket - Manifold	1 1
19	88/	FOTZ-6079-B	Gasket Set	¦
	55,	. 0.2 00/0 0	CONSISTS OF:	'
12		FOUZ-6051-A	Gasket - Cylinder Head	1
13		E4TZ-6521-A	Gasket - Push Rod Cover	1
14		B9A-6570-A	Grommet - Push Rod Cover Bolt	6
15		D6OZ-6571-A	Seal - Valve Stem	12
16 17		E9TZ-6584-B E6TZ-8255-B	Gasket - Rocker Arm Cover	1 1
19		E7TZ-9439-A	Gasket - Intake Manifold	¦
				'








REF. NO.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
1	73/ 73/ 73/ 73/	E4TZ-6108-P E4TZ-6108-S D3TZ-6108-DB D3TZ-6108-EB	PISTON, CONNECTING ROD AND RELATED PARTS  PISTON ASSEMBLY INCLUDES FITTED PIN Piston - Standard	6 A/R A/R A/R
2	73/	D3TZ-6108-FB  C6AZ-6135-A	Piston040 O/S	A/R A/R
3	70/73 70/73 70/73 70/73 73/ 73/ 73/ 73/	C3AZ-6148-F C3AZ-6148-G C3AZ-6148-H C3AZ-6148-J E4TZ-6148-A E4TZ-6148-B E3TZ-6148-C E4TZ-6148-D	RING SET - PISTON PARTIAL  CONSISTS OF NECESSARY RINGS TO RE-RING 2 PISTONS  PISTONS  Ring Set - Standard  Ring Set020 O/S  Ring Set030 O/S  Ring Set040 O/S  Ring Set - Standard  Ring Set020 O/S  Ring Set030 O/S  Ring Set030 O/S	3 A/R A/R A/R 3 A/R A/R A/R
4 5 6	70/ 70/ 70/	E3TZ-6200-E C9AZ-6212-B C4OZ-6214-B	CONNECTING ROD ASSEMBLIES  Rod Assembly - Connecting	6 12 12
7	70/ 70/ 70/ 70/ 70/ 70/	C5AZ-6211-R C5AZ-6211-S C5AZ-6211-T C5AZ-6211-U C5AZ-6211-V C5AZ-6211-Y	BEARING SET - CONNECTING ROD - UPPER AND LOWER  Bearing - Standard Searing001 U/S Searing002 U/S Searing010 U/S Searing020 U/S Searing030 U/S Sea	12 A/R A/R A/R A/R A/R








REF. NO.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
	70/ 70/ 70/ 70/ 70/ 70/ 70/ 70/ 70/85 85/ 85/ 85/ 85/	F2TZ-6250-C D3TZ-6256-C E1TZ-6256-A C5AZ-6265-A C5AZ-6266-A E9SZ-6266-A 20346-S8 74148-S D5TZ-6262-B D5TZ-6262-C E5TZ-6261-B E5TZ-6261-B E5TZ-6262-A E5TZ-6262-B	CAMSHAFT, GEAR, BEARINGS AND RELATED PARTS  Camshaft Assembly - Less Gear	






CRANKSHAFT AND RELATED PARTS — TYPICAL

IE-35



REF. NO.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
			CRANKSHAFT AND RELATED PARTS	300
1 2 3 4	70/ 70/ 70/ 70/ 70/	E3TZ-6303-C D3TZ-6256-C E1TZ-6306-A 379153-S C2OZ-6345-A	CRANKSHAFT ASSEMBLY Crankshaft  * Gear Set - With Phenolic Tooth Cam Gear Gear - Crankshaft - Use With Steel Cam Gear Key - Gear To Crankshaft - 3/16 x 1-3/4 Bolt - 7/16-14 x 3.18	1 1 1 1 1
5 6 7 8 9	70/ 70/ 70/ 70/ 70/	E6JE-6316-AA F2TZ-6A340-A C3OZ-6378-A C5JZ-6A312-A 42999-S8	PULLEY - CRANKSHAFT  INCLUDES DAMPER Pulley - Crankshaft - Double Sheave Bolt - 5/8-18 x 1-3/4 - Pulley To Crankshaft Washer - Crankshaft Pulley Retaining Pulley Assembly - Crankshaft outer - Double Sheave Bolt - 3/8-16 x 1.12 - Self Locking	1 1 1 1 1 3
11	70/ 70/ 70/ 70/ 70/ 70/ 70/ 70/ 70/ 70/	C5TZ-6333-AA C5TZ-6333-AB C5TZ-6333-AC C5TZ-6333-AD C5TZ-6333-AE C5TZ-6333-AF D4FZ-6333-A D4FZ-6333-D D4FZ-6333-D D4FZ-6333-E D4FZ-6333-F D4FZ-6337-A D4FZ-6337-C D4FZ-6337-C D4FZ-6337-D D4FZ-6337-B D4FZ-6337-B D4FZ-6337-B D4FZ-6337-B D4FZ-6337-B D4FZ-6337-B D4FZ-6337-B D4FZ-6337-B D4FZ-6337-B D4FZ-6337-B D4FZ-6337-B D4FZ-6337-B D4FZ-6337-B D4FZ-6337-B D4FZ-6337-B D4FZ-6337-B D4FZ-6337-B	BEARINGS - CRANKSHAFT MAIN  Main Bearing - Lower - Standard  Main Bearing001 U/S  Main Bearing010 U/S  Main Bearing020 U/S  Main Bearing020 U/S  Main Bearing030 U/S  Main Bearing091 U/S  Main Bearing - Upper - Standard  Main Bearing001 U/S  Main Bearing010 U/S  Main Bearing010 U/S  Main Bearing030 U/S  Main Bearing030 U/S  Thrust Bearing001 U/S  Thrust Bearing010 U/S  Thrust Bearing010 U/S  Thrust Bearing020 U/S  Thrust Bearing030 U/S  Thrust Bearing030 U/S  Thrust Bearing001 U/S  Thrust Bearing000 U/S  Thrust Bearing000 U/S  Thrust Bearing000 U/S	6 A/R
12	70/85 85/ 70/	E5TZ-6700-C E6DZ-6700-A F1TZ-6701-A	SEALS - CRANKSHAFT - FRONT AND REAR  Oil Seal - Front Cover - Rear Entry	1 1 1








REF. NO.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
			FLYWHEEL HOUSING, FLYWHEEL, CLUTCH, CONVERTER AND RELATED PARTS	
			CLUTCH ASSEMBLY 12 INCH H.D 1-3/8 - 10 SPLINE	
1 2 3 4 5 6 7	70/ 70/ 80/ 70/ 70/80 70/80 70/80 70/80	E5TZ-6375-G C5AZ-6384-A D7TZ-6384-A C5TZ-6379-B C5TZ-6375-T C2OZ-6A366-A 378171-S100 378941-S7-8	FLYWHEEL AND RING GEAR ASSEMBLY  Flywheel And Ring Gear - 180 Tooth - For 12 Inch Clutch	1 1 1 6 1 1 6 4
			HOUSING - FLYWHEEL - WITH FEET AND FLYWHEEL ASSEMBLY	
1 2 3 9 10 11 12 13 14 15 16	70/ 70/ 70/ 70/ 70/ 70/ 70/ 70/ 70/ 70/	C5JZ-6375-A C5JZ-6375-BB C5AZ-6384-A F1ZZ-6379-A C5JZ-6392-B 43040-S36 43044-S36 C5JZ-7518-A 57633-S2 EAD-6397-A E1JL-7007-AA C5JZ-7599-A 42998-S8	Flywheel And Ring Gear - 184 Tooth - For 10 Inch Over Center Clutch Flywheel And Ring Gear - 184 Tooth - For 11-1/2 Inch Over Center Clutch Ring Gear - Flywheel - 184 Tooth - For C5TZ-B, C5JZ-A And C5JZ-B Flywheels Bolt - 7/16-20 x 1.045 - Flywheel To Crankshaft For C5JZ-A And C5JZ-B Flywheels Housing - Flywheel - SAE 4 Housing - Flywheel - SAE 3 Bolt - 7/16-14 x 1.00 - Self Locking Bolt - 7/16-14 x 1.50 Cover - Inspection Hole Screw And Washer - 5/16-18 x .75 Dowel - 1/2 x 1.00 Plate - Rear Engine Adapter - Pilot Bearing To Flywheel Bolt - 3/8-16 x 1.00 Self-Locking	1 1 6 1 1 A/R A/R 1 4 1 1 1 3
9 10 13 14 17 18 19 20 21 22 23 24 25 26	70/ 70/ 70/ 70/ 70/ 70/ 70/ 70/ 70/ 70/	C5TZ-7505-E 302555-S2 43040-S36 EAD-6397-A C5TZ-7007-E 34793-S2 C5TZ-7564-C 20388-S8 34792-S36 C5TZ-7564-B 57631-S2 C4TZ-7513-C 354320-S8 34810-S8 33848-S8	HOUSING - CLUTCH - AND RELEASE LEVER FOUR AND FIVE SPEED TRANSMISSION  Housing Assembly - Clutch Bolt - 7/16-14 x 3.75  Bolt - 7/16-14 x 1.00 - Self-Locking  Dowel - 1/2 x 1.00  Plate Assembly - Engine Rear  Washer - 7/16 Lock  Dust Cover - Front Bolt - 3/8-16 x 1.00  Washer - 3/8 Lock  Cover - Lower Dust  Bolt - 5/16-18 x .50  Dust Seal - Clutch Release Lever  Stud - 9/16-12-18 x 2.56  Washer - 9/16 Lock  Nut - 9/16-18 Lock	1 6 A/R 1 1 6 1 A/R A/R 1 5 1 2 2 2








REF. NO.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
			FLYWHEEL HOUSING, FLYWHEEL, CLUTCH, CONVERTER AND RELATED PARTS (CONTINUED)	
27	70/	C7TZ-7515-B	HOUSING - CLUTCH - AND RELEASE LEVER FOUR AND FIVE SPEED TRANSMISSION (CONTINUED)  Lever - Clutch Release	1 1
29 30 31 32	70/ 70/ 70/ 70/ 70/ 70/	C5TZ-7600-B C5TZ-7600-C C5TZ-7550-G C5TZ-7563-D 382087-S2 34791-S36	Bearing - Ball - Pilot - 1.85 OD x .98 ID x .47 Wide	1 1 1 1 6 6
29 30 31 32 33	70/ 70/ 70/ 70/ 70/	C5TZ-7550-G C5TZ-7563-D 382087-S2 34791-S36 E1HZ-7548-D	CLUTCH ASSEMBLY 12 INCH H.D. 1-3/8 - 10 SPLINE  Disc Assembly - Clutch - 12 Inch  Plate And Cover Assembly - Clutch Pressure - 12 Inch  Bolt - 5/16-18 x .92  Washer - 5/16 Lock  Bearing And Hub Assembly - Clutch Release	1 1 6 6
15 16 28	70/ 70/ 70/82 70/	C5JZ-7599-A 42998-S8 C5TZ-7600-B C5TZ-7600-C	BEARING - CLUTCH PILOT  Adapter - Pilot Bearing To Flywheel  Bolt - 3/8-16 x 1.00 Self-Locking  Bearing - Ball - Pilot - 1.85 OD x .96 ID x .47 Wide  Bearing - Bronze - Pilot - 1.85 OD x .987 x .58 Wide	1 3 1 1
14 34 35 36 37 38	70/80 70/80 70/80 70/80 70/80 70/80	D2TZ-7007-A NOT REPLACED NOT REPLACED 34793-S2 C5AZ-7986-A 57631-S2	CONVERTER HOUSING AND REAR ENGINE PLATE  Plate - Engine Rear  Converter Housing - Not Serviced  Bolt - 7/16-14 x 2.50  Washer - 7/16 Lock  Cover - Front Dust  Bolt - 5/16-18 x .50	1 1 6 6 1 3
10 14 18 19 20	70/ 70/ 70/ 70/ 70/	43040-S36 C5TZ-7007-E C5TZ-7564-C 304650-S2 34792-S36	REAR ENGINE PLATE AND FRONT DUST COVER  Bolt - 7/16-14 x 1.00 - Self-Locking  Plate Assembly - Engine Rear  Dust Cover - Front  Bolt - 3/8-16 x .75  Washer - 3/8 Lock	3 1 1 1 2








REF. NO.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
			VALVES, PUSH RODS, ROCKER ARM COVER AND	
			RELATED PARTS	
			TAPPET ASSEMBLY - VALVE	
1	70/	F1DZ-6500-A	Tappet	12
2	70/84	D5TZ-6505-N	VALVE Valve - Exhaust Standard .3419 Stem Diameter	6
	70/84	D5TZ-6505-R	Valve - Exhaust .015 O/S	A/F
	70/84 85/	D5TZ-6505-S F6JL-6505-AA	Valve - Exhaust .030 O/S  Valve - Exhaust Standard .341 Stem Diameter	A/I 6
	70/84	C5TZ-6507-A	Valve - Intake Standard .3419 Stem Diameter	6
	70/84 70/84	C5TZ-6507-C C5TZ-6507-D	Valve - Intake .015 O/S Valve - intake .030 O/S	A/F
	85/	F6JL-6507-AA	Valve - Intake 330 0/3	6
			BUSHING - VALVE GUIDE	
3	70/	D1AZ-6510-C D6AZ-6510-A	Bushing - Intake	A/F
	70/	D6AZ-6510-A	Bushing - Exhaust	A/R
4	70/04	D607 6574 A	SEAL - VALVE STEM	1,2
4	70/91 92/	D6OZ-6571-A E8AZ-6571-A	Seal - Valve Stem	12
	92/	F2TZ-6571-A	Seal - Valve Stem - Exhaust	6
			RETAINERS, LOCKS AND SPRINGS - VALVE	
5	70/83	C5AZ-6513-A	Valve Spring - Intake	6
	70/83	C5TZ-6513-A	Valve Spring - Exhaust	6
	84 84	E4TZ-6513-A E4TZ-6513-B	Valve Spring - Exhaust	6
	85/	E5TZ-6513-A	Valve Spring - Intake	6
	85/	E5TZ-6513-B	Valve Spring - Exhaust	6
6	70/	D9TZ-6514-A	Retainer - Valve Spring - Exhaust - Rotator	6
7	70/ 70/	F1TZ-6514-C 7HA-6518-A	Retainer - Valve Spring - Intake Lock Key	6 24
			COVER - VALVE PUSH ROD	
8	70/	E7TZ-6519-A	Cover - Push Rod	1 1
9	70/	E7TZ-6C517-A	Bolt And Grommet Assembly	A/F
10	70/ 70/	E7TZ-6C517-B E4TZ-6521-A	Bolt, Grommet And Retainer Assembly Gasket - Push Rod Cover	A/F
			ROCKER ARMS, PUSH RODS AND RELATED PARTS	
11	70/78	C5AZ-6A527-A	Stud - Valve Rocker Arm Support - 3/8-24 x 2-5/83717	12
	70/78	C5AZ-6A527-B	Stud - Valve Rocker Arm Support .006 O/S	A/F
	70/78 78/84	C5AZ-6A527-C D8TZ-6A527-A	Stud - Valve Rocker Arm Support .010 O/S - Not Serviced	A/F
	78/84	D8TZ-6A527-A	Stud - Valve Rocker Arm Support .010 O/S - Not Serviced	A/F
	85/	D8AZ-6A527-A	Bolt - Valve Rocker Arm Support - 5/16-18 x 1.40	12
12	70/84	C2OZ-6A528-C	Seat - Rocker Arm Fulcrum	12
13	85/ 70/78	E53Z-6A528-A	Seat - Rocker Arm Fulcrum	12
13	70/78 78/84	C2DZ-6A529-A DOAZ-6A529-A	Nut - Rocker Arm Stud - 3/8-24 Nut - Rocker Arm Stud - 5/16-24	12
14	70/84	C5AZ-6564-A	Arm - Valve Rocker	12
	85/	E43Z-6564-A	Arm - Valve Rocker	12
15	70/	C5AZ-6565-A	Rod - Valve Push - 10.16 Long	12 A/F
	70/	C5AZ-6565-B	Rod - Valve Push060 U/S	A/F








YEAR	PART NUMBER	DESCRIPTION	QTY 300
		VALVES, PUSH RODS, ROCKER ARM COVER AND RELATED PARTS (CONTINUED)	
70/ 85/	C5AZ-6565-C E5TZ-6A588-A	ROCKER ARMS, PUSH RODS AND RELATED PARTS (CONTINUED)  Rod - Valve Push060 O/S  Guide - Rocker Arm Fulcrum	A/R 12
70/83 84 85/86 87 88/ 70/84 85/ 70/87 88/	C5AZ-6582-K E4TZ-6582-A E5TZ-6582-J E7TZ-6582-A F1TZ-6582-C 390057-S E5TZ-6584-D E9TZ-6584-B	COVER - ROCKER ARM - AND RELATED PARTS  Cover - Rocker Arm Cover - Rocker Arm - Not Serviced Cover - Rocker Arm Cover - Rocker Arm - Not Serviced Cover - Rocker Arm - Not Serviced Cover - Rocker Arm Bolt - 5/16-18 x .62 - Not Serviced Bolt - 1/4-20 x .65 Gasket - Rocker Arm Cover Gasket - Rocker Arm Cover	1 1 1 1 1 8 8 1
70/84 70/84 85/ 70/83 84 85/ 85/ 70/ 70/	C6JZ-6763-C E6TZ-6A892-C E7AZ-6A892-A C1TZ-6766-A/NR D2AE-6766-MA E53Z-6B897-A F3AZ-6766-A F1BZ-6A768-A D8TE-6B890-AA D8TZ-6A666-B	Pipe - Oil Filler Retainer Retainer Cap - Oil Filler Cap - Open System Cap And Filter Assembly Cap - Oil Filler Filter Assembly - Crankcase Vent Tube PCV Valve And Elbow Connector PCV Valve	1 1 2 1 1 1 1 1 1 1 1 1
	70/ 85/ 70/83 84 85/86 87 88/ 70/84 85/ 70/87 88/ 70/84 85/ 70/83 84 85/ 85/ 70/83	70/83 C5AZ-6565-C 85/ E5TZ-6A588-A  70/83 C5AZ-6582-K 84 E4TZ-6582-A 85/86 E5TZ-6582-J 87 E7TZ-6582-A 88/ F1TZ-6582-C 70/84 85/ 390057-S 70/87 E5TZ-6584-D 88/ E9TZ-6584-B  70/84 C6JZ-6763-C 70/84 E6TZ-6A892-C 85/ E7AZ-6A892-A 70/84 C1TZ-6766-A/NR 70/83 D2AE-6766-MA 84 E53Z-6B897-A 85/ F3AZ-6766-A 85/ F1BZ-6A768-A 70/ D8TE-6B890-AA	VALVES, PUSH RODS, ROCKER ARM COVER AND RELATED PARTS (CONTINUED)








REF. NO.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
			OIL PUMP, OIL PAN AND RELATED PARTS	
			PUMP ASSEMBLY - ENGINE OIL	
1	70/	C5AZ-6600-A	Pump Assembly - Less Screen And Tube	1
2	70/	390674-S100	Bolt - 5/16-18 x .875	2
3	70/	390674-S100	Bolt - 5/16-18 x .875	2
4	70/	C5AZ-6A618-A	Shaft Assembly - Pump Intermediate - 4.52 Long - With Retainer	1 1
5 6	70/ 70/	C4AZ-6629-A C5TZ-6622-B	Ring - Pump Intermediate, Shaft Retainer	1 1
7	70/	EOTZ-6626-A	Gasket - oil Pump Inlet	
	1 0,	20.2002071	'	
8	70/	C5TZ-6675-E	PAN - ENGINE OIL           Pan - Engine Oil	1
9	70/	D7TZ-6730-A	Plug - Oil Pan Drain - Includes Gasket	i
10	70/	C2OZ-6734-A	Gasket - Oil Pan Drain Plug	1
11	70/87	E3TZ-6781-B	Gasket Set	1
		C2OZ-6734-A	CONSISTS OF: Gasket - Oil Pan Drain Plug	1
		D6TE-6722-AA	Seal - Oil Pan - Front	
		D7TE-6723-AA/NR	Seal - Oil Pan - Rear	1
		E3TE-6710-BA/NR E3TE-6711-BA/NR	Gasket - Oil Pan - Right	1
	88/	E7TZ-6710-B	Gasket - Oil Pan - Left	1 1
12	70/	390674-S100	* Bolt - 5/16-18 x .875	25
'-	70/	57632-S2	● Bolt - 5/16-18 x .625	25
13	70/	E8TZ-6A674-A	Reinforcement Rail - Right	1
	70/	E8TZ-6A674-B	Reinforcement Rail - Left	1
			FILTER - ENGINE OIL	
14 15	70/ 70/	D9AZ-6731-A F1AZ-6890-B	Filter	1 1
15	70/	F1AZ-0090-B	Insert - Oil Filter Adapter	'
40	70/	0577 0750 1	INDICATOR - ENGINE OIL LEVEL	
16 17	70/ 79/	C5TZ-6750-J C7JZ-6784-A	Indicator - Oil Level - 12.52 Top of Shield To Full	1 1
''	10/	0702 0704 70	Tube Oil Edver indicator	
			With Reinforcement Rails     Without Reinforcement Rails	
			• Wallout Holling Colling Reliable	








REF. NO.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
			GEAR SHIFT MECHANISM - 4 SPEED CENTER SHIFT - NEW PROCESS 435	
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33	70/ 70/ 70/ 70/ 70/ 70/ 70/ 70/ 70/ 70/	C4TZ-7213-A 355571-S D2JL-7210-A D2TZ-7210-B/NR B8T-7227-A B8T-7220-D E2TZ-7228-E B8T-7227-A 74113-S D2TZ-7221-A D2TZ-7222-D 352532-S 58633-S2 34807-S8 C4TZ-7235-B 354135-S7-8 C4TZ-7279-A TYAA-7234-A 372720-S C4TZ-7240-A C4TZ-7247-A D2TZ-7C430-B TYAA-7235-A D2TZ-7241-B C4TZ-7223-B C9TZ-7243-A C4TZ-7243-A C7TZ-7243-A C7TZ-7243-A C7TZ-7243-A	Ball Assembly - Gearshift Lever Nut - 3/8-24 Hex Jam Lever Assembly - Gearshift - Power Unit Lever Assembly - Gearshift Boot - Gearshift Lever To Housing Cap - Shift Lever Seat - Gearshift Spring Spring - Gearshift Lever Plug - 3/4 Trunnion - Cover - 1-3/16 Long, 5/16 Dia. One End, 1/4 Dia. Other End Housing - Gearshift Plug - 3/8 Cup Bolt - 3/8-16 x . 75 Washer - 3/8 Lock Pin - Shifter Interlock - 1 Long, 3/16 OD - Chamfer On One End Only Bolt - Housing To Case - 3/8-16 x . 1/125 Gate - First And Second Gearshifter Shaft Spring - Gearshifter Shaft Poppet - 7 Active Coils - 23/64 OD, 1 Long Ball - Shifter Shaft Poppet - 3/8 Shaft - First And Second Gearshifter - 8.15 Long, 62/13 Diameter Plunger - Shifter Shaft Interlock - 3/9 Long, 3/7 4 Long, 5/16 Wide, 1/4 Thick-Nylon Gearshifter Shaft Interlock - 3/16 OD, 3/64 Long, Shaft - First And Second Gearshifter Fork - 3/4 Long, 5/16 Wide, 1/4 Thick-Nylon Gearshifter Shaft Interlock - 8/9 Long, 3/8 4 Long, Shaft - First And Second Gearshifter - 1.6 Long, 62/13 Diameter Fork - First And Second Gearshifter - 1.6 Long, 62/13 Diameter Fork - First And Second Gearshifter - 1.6 Long, 62/13 Diameter Fork - First And Second Gearshifter - 1.6 Long, 62/13 Diameter Fork - First And Second Gearshifter - 1.6 Long, 62/13 Diameter Fork - First And Second Gearshifter - 1.6 Long, 62/13 Diameter Fork - First And Second Gearshifter - 1.6 Long, 62/13 Diameter Fork - First And Second Gearshifter - 1.6 Long, 62/13 Diameter Fork - First And Second Gearshifter - 1.6 Long, 62/13 Diameter Fork - First And Second Gearshifter - 1.6 Long, 62/13 Diameter Fork - First And Second Gearshifter - 1.6 Long, 62/13 Diameter Shaft - Reverse Shaft Lug Plunger - "C" Type - 5/8 Wide, (8) Bott Holes Plunger - Shifter Shaft Interlock - Reverse Shift Lug Shaft - Reverse Shaft Lug Plunger - "C" Type - 5/8 Wide, 7/32 Opening, 1/16 Thick - Not Serviced Shaft - Reverse Shaft Lug Plunger - "C" Type - 5/8 Wide, 7/32 Opening, 1/16 Thick - Not Serviced Shaft - Reverse Shaft Lug Plunger - "C" Type - 5/8 Wide, 7/32 Openi	1 1 1 1 1 1 1 1 1 1 1 3 2 1 1 6 6 5 2 1 3 3 1 2 2 1 1 1 1 1 1 1 1 1 1 2 1 2








TRANSMISSION ASSEMBLY - 4 SPEED CENTER SHIFT - NEW PROCESS 435	
Tollow	
Tol/80	
1         70/80 80/80/80         FOHT-7004-AF E4HT-7004-CA/NR         Transmission Assembly - Not Serviced         E4HT-7004-CA/NR           2         70/58699-S2         Bolt - 9/16-12 x 2.00         33848-S8         Bolt - 9/16-12 x 2.00         33848-S8         Bolt - 9/16-12 x 2.00         33848-S8         Nut - 9/16-18 Lock         50         5	
80/         E4HT-7004-CA/NR         Transmission Assembly - Not Serviced           2         70/         58699-S2         Bolt - 9/16-12 x 2.00           3         70/         34810-S8         Washer - 9/16 Lock           4         70/         33848-S8         Nut - 9/16-18 Lock           5         70/         Bolt - 5/16-18 x .75 - Not Serviced           6         70/         304636-S2         Bolt - 3/8-16 x .625           7         70/         34807-S8         Washer - 3/8 Lock           8         70/         374506-S         Plug - Drain - Magnetic - 3/4 NPT           9         70/         358048-S         Plug - Filler - 3/4 NPT           10         70/         Stud - 1/2-3-20 x 1.75 - Not Serviced           11         70/         B9TZ-7086-A         Gasket - Output Shaft Bearing Retainer           12         70/83         C8TZ-7085-F         Retainer Assembly - Output Shaft Bearing - D7HT-DA And EOHT-AFA           13         70/         34809-S8         Washer - 1/2 Lock           14         70/         33846-S8         Nut - 1/2-20           15         70/         D2TZ-4813-A         Oil Seal - Output Shaft Bearing Retainer - 3-1/4 OD, 2-1/2 ID, 1/2 Thick           16         70/         C5TZ-7089-A	
2         70/         58699-S2         Bolt - 9/16-12 x 2.00           3         70/         34810-S8         Washer - 9/16 Lock           4         70/         33848-S8         Nut - 9/16-18 Lock           5         70/         304636-S2         Bolt - 5/16-18 x .75 - Not Serviced           6         70/         34807-S8         Washer - 3/8 Lock           8         70/         374506-S         Plug - Drain - Magnetic - 3/4 NPT           9         70/         358048-S         Plug - Filler - 3/4 NPT           10         70/         Stud - 1/2-3-20 x 1.75 - Not Serviced           11         70/         B9TZ-7086-A         Gasket - Output Shaft Bearing Retainer           12         70/83         C8TZ-7085-F         Retainer Assembly - Output Shaft Bearing - D7HT-DA And EOHT-AFA           13         70/         34809-S8         Washer - 1/2 Lock           14         70/         33846-S8         Nut - 1/2-20           15         70/         D2TZ-4813-A         Oil Seal - Output Shaft Bearing Retainer - 3-1/4 OD, 2-1/2 ID, 1/2 Thick           16         70/         C5TZ-7119-A         Washer - 1/2 Lock           19         70/         C8TZ-17297-A         Adapter - Speedometer Gear           20         70/	
3         70/         34810-S8         Washer - 9/16 Lock           4         70/         33848-S8         Nut - 9/16-18 Lock           5         70/         304636-S2         Bolt - 5/16-18 x .75 - Not Serviced           6         70/         34807-S8         Washer - 3/8 Lock           8         70/         374506-S         Plug - Drain - Magnetic - 3/4 NPT           9         70/         358048-S         Plug - Filler - 3/4 NPT           10         70/         Stud - 1/2-3-20 x 1.75 - Not Serviced           11         70/         B9TZ-7086-A         Gasket - Output Shaft Bearing Retainer           12         70/83         C8TZ-7085-F         Retainer Assembly - Output Shaft Bearing - D7HT-DA And EOHT-AFA           83/         E4HZ-7085-B         Retainer Assembly - Output Shaft Bearing - E4HT-CA           13         70/         34809-S8         Washer - 1/2 Lock           14         70/         33846-S8         Nut - 1/2-20           15         70/         D2TZ-4813-A         Oil Seal - Output Shaft Bearing Retainer - 3-1/4 OD, 2-1/2 ID, 1/2 Thick           16         70/         C5TZ-7119-A         Washer - Output Shaft - 1.75 OD, 1 ID, .156 Thick           19         70/         C8TZ-17297-A         Adapter - Speedometer Gear <t< td=""><td></td></t<>	
4         70/         33848-S8         Nut - 9/16-18 Lock           5         70/         304636-S2         Bolt - 5/16-18 x .75 - Not Serviced           6         70/         34807-S8         Bolt - 3/8-16 x .625           7         70/         34807-S8         Washer - 3/8 Lock           8         70/         374506-S         Plug - Drain - Magnetic - 3/4 NPT           9         70/         358048-S         Plug - Filler - 3/4 NPT           10         70/         Stud - 1/2-3-20 x 1.75 - Not Serviced           11         70/         B9TZ-7086-A         Gasket - Output Shaft Bearing Retainer           12         70/83         C8TZ-7085-F         Retainer Assembly - Output Shaft Bearing - D7HT-DA And EOHT-AFA           13         70/         34809-S8         Washer - 1/2 Lock           14         70/         33846-S8         Nut - 1/2-20           15         70/         D2TZ-4813-A         Oil Seal - Output Shaft Bearing Retainer - 3-1/4 OD, 2-1/2 ID, 1/2 Thick           16         70/         C5TZ-7089-A         Flange - Output           17         70/         C5TZ-7119-A         Washer - Output Shaft - 1.75 OD, 1 ID, .156 Thick           18         70/         371887-S         Nut - Output Shaft - 1.20 Hex Lock, 1-1/2 Across Flats, 1-20 Thre	
5         70/         304636-S2         Bolt - 5/16-18 x .75 - Not Serviced           6         70/         304636-S2         Bolt - 3/8-16 x .625           7         70/         34807-S8         Washer - 3/8 Lock           8         70/         374506-S         Plug - Drain - Magnetic - 3/4 NPT           9         70/         358048-S         Plug - Filler - 3/4 NPT           10         70/         Stud - 1/2-3-20 x 1.75 - Not Serviced           11         70/         B9TZ-7086-A         Gasket - Output Shaft Bearing Retainer           12         70/83         C8TZ-7085-F         Retainer Assembly - Output Shaft Bearing - D7HT-DA And EOHT-AFA           83/         E4HZ-7085-B         Retainer Assembly - Output Shaft Bearing - E4HT-CA           13         70/         34809-S8         Washer - 1/2 Lock           14         70/         33846-S8         Nut - 1/2-20           15         70/         D2TZ-4813-A         Oil Seal - Output Shaft Bearing Retainer - 3-1/4 OD, 2-1/2 ID, 1/2 Thick           16         70/         C5TZ-719-A         Washer - Output Shaft - 1.75 OD, 1 ID, 156 Thick           18         70/         371887-S         Nut - Output Shaft - 1.20 Hex Lock, 1-1/2 Across Flats, 1-20 Thread           19         70/         C8TZ-17297-A         <	
6         70/         304636-S2         Bolt - 3/8-16 x .625	6 6 1 1 1 4 1 1 1 1
7         70/         34807-S8         Washer - 3/8 Lock           8         70/         374506-S         Plug - Drain - Magnetic - 3/4 NPT           9         70/         358048-S         Plug - Filler - 3/4 NPT           10         70/         Stud - 1/2-3-20 x 1.75 - Not Serviced           11         70/         B9TZ-7086-A         Gasket - Output Shaft Bearing Retainer           12         70/83         C8TZ-7085-F         Retainer Assembly - Output Shaft Bearing - D7HT-DA And EOHT-AFA           83/         E4HZ-7085-B         Retainer Assembly - Output Shaft Bearing - E4HT-CA           13         70/         34809-S8         Washer - 1/2 Lock           14         70/         33846-S8         Nut - 1/2-20           15         70/         D2TZ-4813-A         Oil Seal - Output Shaft Bearing Retainer - 3-1/4 OD, 2-1/2 ID, 1/2 Thick           16         70/         C5TZ-7089-A         Flange - Output Shaft - 1.75 OD, 1 ID, .156 Thick           18         70/         371887-S         Nut - Output Shaft - 1.20 Hex Lock, 1-1/2 Across Flats, 1-20 Thread           19         70/         C8TZ-17297-A         Adapter - Speedometer Gear           20         70/         20324-S8         Bolt - 1/4-20 x .625           21         70/         EOHZ-17322-DA <td< td=""><td></td></td<>	
8         70/         374506-S         Plug - Drain - Magnetic - 3/4 NPT           9         70/         358048-S         Plug - Filler - 3/4 NPT           10         70/         Stud - 1/2-3-20 x 1.75 - Not Serviced           11         70/         B9TZ-7086-A         Gasket - Output Shaft Bearing Retainer           12         70/83         C8TZ-7085-F         Retainer Assembly - Output Shaft Bearing - D7HT-DA And EOHT-AFA           83/         E4HZ-7085-B         Retainer Assembly - Output Shaft Bearing - E4HT-CA           13         70/         34809-S8         Washer - 1/2 Lock           14         70/         33846-S8         Nut - 1/2-20           15         70/         D2TZ-4813-A         Oil Seal - Output Shaft Bearing Retainer - 3-1/4 OD, 2-1/2 ID, 1/2 Thick           16         70/         C5TZ-7089-A         Flange - Output           17         70/         C5TZ-7119-A         Washer - Output Shaft - 1.75 OD, 1 ID, .156 Thick           18         70/         371887-S         Nut - Output Shaft - 1.20 Hex Lock, 1-1/2 Across Flats, 1-20 Thread           20         70/         20324-S8         Bolt - 1/4-20 x .625           21         70/         EOHZ-17322-DA         Gear - Speedometer Drive - 15 Teeth           22         70/         C4TZ-7195-A	
9	
10         70/         Stud - 1/2-3-20 x 1.75 - Not Serviced           11         70/         B9TZ-7086-A         Gasket - Output Shaft Bearing Retainer           12         70/83         C8TZ-7085-F         Retainer Assembly - Output Shaft Bearing - D7HT-DA And EOHT-AFA           83/         E4HZ-7085-B         Retainer Assembly - Output Shaft Bearing - E4HT-CA           13         70/         34809-S8         Washer - 1/2 Lock           14         70/         33846-S8         Nut - 1/2-20           15         70/         D2TZ-4813-A         Oil Seal - Output Shaft Bearing Retainer - 3-1/4 OD, 2-1/2 ID, 1/2 Thick           16         70/         C5TZ-7089-A         Flange - Output Shaft - 1.75 OD, 1 ID, .156 Thick           18         70/         371887-S         Nut - Output Shaft - 1.20 Hex Lock, 1-1/2 Across Flats, 1-20 Thread           19         70/         C8TZ-17297-A         Adapter - Speedometer Gear           20         70/         20324-S8         Bolt - 1/4-20 x .625           21         70/         EOHZ-17322-DA         Gear - Speedometer Drive - 15 Teeth           22         70/         C4TZ-7195-A         Cap - Countershaft Rear Bearing	4 1 1
11         70/         B9TZ-7086-A         Gasket - Output Shaft Bearing Retainer         B9TZ-7085-F         Retainer Assembly - Output Shaft Bearing - D7HT-DA And EOHT-AFA           13         70/         34809-S8         Washer - 1/2 Lock         Washer - 1/2 Lock         14         70/         33846-S8         Nut - 1/2-20         15         70/         D2TZ-4813-A         Oil Seal - Output Shaft Bearing Retainer - 3-1/4 OD, 2-1/2 ID, 1/2 Thick         16         70/         C5TZ-7089-A         Flange - Output Shaft - 1.75 OD, 1 ID, .156 Thick         17         70/         C5TZ-7119-A         Washer - Output Shaft - 1.20 Hex Lock, 1-1/2 Across Flats, 1-20 Thread         18         70/         371887-S         Nut - Output Shaft - 1.20 Hex Lock, 1-1/2 Across Flats, 1-20 Thread         19         70/         20324-S8         Bolt - 1/4-20 x .625         10	1 1
12       70/83       C8TZ-7085-F       Retainer Assembly - Output Shaft Bearing - D7HT-DA And EOHT-AFA         13       70/       34809-S8       Washer - 1/2 Lock         14       70/       33846-S8       Nut - 1/2-20         15       70/       D2TZ-4813-A       Oil Seal - Output Shaft Bearing Retainer - 3-1/4 OD, 2-1/2 ID, 1/2 Thick         16       70/       C5TZ-7089-A       Flange - Output Shaft - 1.75 OD, 1 ID, .156 Thick         18       70/       371887-S       Nut - Output Shaft - 1.20 Hex Lock, 1-1/2 Across Flats, 1-20 Thread         19       70/       C8TZ-17297-A       Adapter - Speedometer Gear         20       70/       20324-S8       Bolt - 1/4-20 x .625         21       70/       EOHZ-17322-DA       Gear - Speedometer Drive - 15 Teeth         22       70/       C4TZ-7195-A       Cap - Countershaft Rear Bearing	1
13       70/       34809-S8       Washer - 1/2 Lock         14       70/       33846-S8       Nut - 1/2-20         15       70/       D2TZ-4813-A       Oil Seal - Output Shaft Bearing Retainer - 3-1/4 OD, 2-1/2 ID, 1/2 Thick         16       70/       C5TZ-7089-A       Flange - Output Shaft - 1.75 OD, 1 ID, .156 Thick         17       70/       C5TZ-7119-A       Washer - Output Shaft - 1.20 Hex Lock, 1-1/2 Across Flats, 1-20 Thread         18       70/       371887-S       Nut - Output Shaft - 1.20 Hex Lock, 1-1/2 Across Flats, 1-20 Thread         19       70/       C8TZ-17297-A       Adapter - Speedometer Gear         20       70/       20324-S8       Bolt - 1/4-20 x .625         21       70/       EOHZ-17322-DA       Gear - Speedometer Drive - 15 Teeth         22       70/       C4TZ-7195-A       Cap - Countershaft Rear Bearing	1
14     70/     33846-S8     Nut - 1/2-20       15     70/     D2TZ-4813-A     Oil Seal - Output Shaft Bearing Retainer - 3-1/4 OD, 2-1/2 ID, 1/2 Thick       16     70/     C5TZ-7089-A     Flange - Output Shaft - 1.75 OD, 1 ID, .156 Thick       17     70/     C5TZ-7119-A     Washer - Output Shaft - 1.20 Hex Lock, 1-1/2 Across Flats, 1-20 Thread       18     70/     371887-S     Nut - Output Shaft - 1.20 Hex Lock, 1-1/2 Across Flats, 1-20 Thread       19     70/     C8TZ-17297-A     Adapter - Speedometer Gear       20     70/     20324-S8     Bolt - 1/4-20 x .625       21     70/     EOHZ-17322-DA     Gear - Speedometer Drive - 15 Teeth       22     70/     C4TZ-7195-A     Cap - Countershaft Rear Bearing	
15       70/       D2TZ-4813-A       Oil Seal - Output Shaft Bearing Retainer - 3-1/4 OD, 2-1/2 ID, 1/2 Thick         16       70/       C5TZ-7089-A       Flange - Output	4
16       70/       C5TZ-7089-A       Flange - Output	
17     70/     C5TZ-7119-A     Washer - Output Shaft - 1.75 OD, 1 ID, .156 Thick       18     70/     371887-S     Nut - Output Shaft - 1.20 Hex Lock, 1-1/2 Across Flats, 1-20 Thread       19     70/     C8TZ-17297-A     Adapter - Speedometer Gear       20     70/     20324-S8     Bolt - 1/4-20 x .625       21     70/     EOHZ-17322-DA     Gear - Speedometer Drive - 15 Teeth       22     70/     C4TZ-7195-A     Cap - Countershaft Rear Bearing	
18     70/     371887-S     Nut - Output Shaft - 1.20 Hex Lock, 1-1/2 Across Flats, 1-20 Thread       19     70/     C8TZ-17297-A     Adapter - Speedometer Gear       20     70/     20324-S8     Bolt - 1/4-20 x .625       21     70/     EOHZ-17322-DA     Gear - Speedometer Drive - 15 Teeth       22     70/     C4TZ-7195-A     Cap - Countershaft Rear Bearing	
19       70/       C8TZ-17297-A       Adapter - Speedometer Gear	
20       70/       20324-S8       Bolt - 1/4-20 x .625         21       70/       EOHZ-17322-DA       Gear - Speedometer Drive - 15 Teeth         22       70/       C4TZ-7195-A       Cap - Countershaft Rear Bearing	
21         70/         EOHZ-17322-DA         Gear - Speedometer Drive - 15 Teeth           22         70/         C4TZ-7195-A         Cap - Countershaft Rear Bearing	
22   70/   C4TZ-7195-A   Cap - Countershaft Rear Bearing	
24 70/ 34807-S8 Washer - 3/8 Lock	
25 70/ 58633-S2 Bolt - 3/8-16 x .75	
26 70/ C4TZ-7155-A Plate - Countershaft And Reverse Idler Shaft Lock - 7/8 Wide, 1/8 Thick,	
1-1/8 Overall Length	1
27 70/ 34807-S8 Washer - 3/8 Lock	1
28 70/ Bolt - Lock Plate To Case - 3/8-16 x .625 - Not Serviced	
29   70/   C4TZ-7005-A   Case - Transmission	
30 70/ C4TZ-7118-A Bearing Assembly - Countershaft Front Radial - 1.8755 OD, 1.50 ID, 1 Thick	
31   70/   BB-7165   Cover - Power Take Off	<b>I</b>
32 70/ E7HZ-7166-A Gasket - Power Take Off Cover	
33 70/ C4TZ-7048-A Seal - Input Shaft	
34 70/ C4TZ-7050-A Retainer - Input Bearing 4-11/32 Overall Length, 5.124 Flange OD, 2.8428 Flange	
35   70/   C4TZ-7051-B   Gasket - Input Shaft Bearing Retainer	
37 70/ CODW-4630-A Bearing Assembly - Input Shaft	
38 70/ C4TZ-7017-A Shaft Input - 17 Helical Teeth, 24 Clutch Teeth - 10 Splines, 9-3/8 Long	<b>I</b>
39 70/ B7T-7118-A Roller - Input Shaft Pilot Bearing2811 OD, .678 Long - Set of 14	
40 70/ C4TZ-7063-A Spacer - Input Shaft Bearing To Inner Race - 1.543 OD, 1.25 ID, .062 Thick	
41 70/ B7T-7117-A Snap Ring - Pilot Roller Bearing Retainer - 1.685 Free OD, .093 Dia., Spring Ste	
42 70/ C4TZ-7C096-C Bearing - Synchronizer Clutch Gear Thrust - 27 Rollers, 2.171 OD, .156 Thick	
43 70/ D3TZ-7107-A Ring - Synchronizer Third And Fourth Outer Stop - 24 Splines	2
44 70/80 B7T-7174-B Synchronizer Inner Stop - 4.65 OD, Third And Fourth Gear	2
Synchronizer inner Stop - 4.05 OD, Third And Fourth Gear	








REF. NO.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
			TRANSMISSION ASSEMBLY - 4 SPEED CENTER SHIFT - NEW PROCESS 435 (CONTINUED)	
45	70/77	B7T-7187-A	Sleeve - Synchronizer Sliding - 24 Teeth - Before 6-77	1
46	77/ 70/	DOHZ-7187-A C4TZ-7183-B	Sleeve - Synchronizer Sliding - 24 Teeth - After 6-77 Hub - Third And Fourth Gear Synchronizer Clutch - 24 External Teeth, 35 Internal Splines, Includes (1) C4TZ-7C096-C Bearing	1
47	70/ 70/	B7T-7160-A B7T-7160-B	Shim - Synchronizer To Output Shaft And Third Speed Idler Gear010 Thick	A/R A/R
48	70/80	C4TZ-7196-A	Gear - Output Shaft Third Speed Idler - 23 Helical Teeth, 24 Spur Teeth, 3.723 OD, 1.714 Overall Thickness - D7HT-DA	1
	80/	D8TZ-7196-A	Gear - Output Shaft Third Speed Idler - 24 Helical Teeth, 24 Spur Teeth, 3.75 OD, 1.703 Thick - E0HT-AFA & E4HT-CA	1
49	70/	B7T-7109-A	Ring - Output Shaft Second Speed Gear Split Retaining - 1.809 ID, 2.333 OD, .0745 Thick	2
50 51	70/ 70/	C4TZ-7161-B C4TZ-7176-A	Snap Ring - Output Second Speed Rear - 3.43 OD, 3.053 ID, .065 Thick	1 1
52	70/	D4HZ-7124-A	Synchronizer Assembly - Third And Fourth Speed	1
53	70/	7EQ-7070	Snap Ring - Output Shaft Bearing Retainer097 Thick	1
54 55	70/ 70/	C4TZ-7065-A	Bearing - Output Shaft Rear - 3.543 OD, 1.574 ID, .905 Wide	1 1
56	70/	C4TZ-7072-C C5TZ-7061-H	Spacer - Output Shaft To Bearing - 2.25 OD, .338 WideShaft - Output - 13.59 Long, 10 Splines, 35 Serrations Both Ends, Includes (1) Each C4TZ-7119-A Washer And 371887-S Nut	'   1
57	70/	C4TZ-7100-K	Gear - Low And Reverse Sliding - 37 Spur Teeth, 27 Clutch Teeth, 10 Splines 6.417 OD, Includes (2) C5TZ-7E082-A Springs And (1) C4TZ-7100-J Gear	1
58	70/	C5TZ-7E082-A	Spring - Sliding Gear Tension	2
59	70/	C4TZ-7174-A	Ring - Synchronizer Inner Stop And Clutch Pin - 5.0597 OD	1
60	70/	C4TZ-7B137-A	Spring - Synchronizer Blocking - 4 ID, 4.88 Free Length, 2-1/2 Active Coils, .46 x .225 Wide, Spring Steel	1
61	70/90	C4TZ-7119-A	Washer - Countershaft Cluster Gear Thrust - Front 2.75 OD, 1.90 ID, .062 Thick, 4 Oil Grooves	1
62	70/80 80/	C4TZ-7113-A D8TZ-7113-A	D7HT-DAGear - Countershaft Cluster - 11.30 Long, 43-33-25 Helical Teeth, 14 Spur Teeth -  Gear - Countershaft Cluster - 43-34-25 Helical Teeth - 14 Spur Teeth -	1
	00/	DOIZTHOA	E0HT-AFA & E4HT-CA	1
63	70/	C4TZ-7127-A	Bearing Assembly - Countershaft Rear - 2.3755 OD, 2.00 ID, 1 Wide	1
64	70/	C4TZ-7C096-A	Bearing - Countershaft Thrust Rear - 2.3755 OD, 38 Rollers, .078 Thick	1
65	70/	C4TZ-7119-C	Washer - Countershaft Cluster Gear Thrust Rear - 1.917 OD, 1.257 ID, .031 Thick	1 1
66 67	70/ 70/	DOTZ-7141-A C4TZ-7140-A	Gear - Reverse Idler - 17-21 Teeth, 3.893 OD, 1.481 ID, With Bearing Shaft - Reverse Idler Gear - 5-11/32 Long, .9877 Diameter	1 1
68	70/ 70/	E1HZ-17285-B	Gear - Speedometer Drive - 5 Teeth	1
69	70/	34805-S8	Washer - 1/4 Lock	1
70	70/	D5TZ-7153-A	Gasket Set	1
71	70/	C4TZ-7B331-B	Kit - Small Parts Repair	1
72	70/	9264-T127	Kit - Bearing And Gasket - Overhaul	1








TRANSMISSION ASSEMBLY - 4 SPEED CENTER SHIFT - WARNER T-18  1 73/ D3JL-7004-A 2 73/ 58699-S2  * Transmission Assembly
3   34810-S8








1 12 1 8 1








REF. NO.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
			POWER TAKE-OFF ASSEMBLY - FUNK H.D. FOR SPRING LOADED CLUTCH (F-10-101)	
1 234567	78/82 83/ 70/ 70/ 70/ 70/ 70/82 83/	B8C-10095-A  E2JL-7275-AA  58699-S2 34810-S8 354320-S8 33848-S8 D7JL-7K741-F C5TZ-7600-B B8C-10095-A		1 1 2 4 2 2 1 1 1 1






POWER TAKE-OFF ASSEMBLY — TORQUE CONVERTER TYPE PUMP AND OIL COOLER — TYPICAL

IE-44



NU.
1   78/80   D2JL-7275-A/NR   C3AZ-7A103-E   70/80   B1AZ-7A196-A   B0It-576-618 x 2.00 × Not Serviced   B0It-576-618 x 2








REF. NO.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
			WATER PUMP AND RELATED PARTS	
1	70/90 90/	E9PZ-8501-B F5JE-8501-BA/ 56324-S100	Pump Pump	1 1
2 3 4	70/90 70/ 70/	B4A-8553-A C5AZ-8507-A C4TZ-8A500-B	Hub	1 1 1
5 6	70/ 70/90 90/ 90/	97355-S8 C5AZ-8509-A D7JL-8509-A EOTE-8509-B	Clamp - Heater Tube Cap Pulley - Single Sheave Pulley - Double Sheave Pulley - Triple Sheave	1 1 1 1
7 8 9	70/90 70/ 70/	B7T-8538-A 377008-S2 34791-S36	Clamping Ring	1 4 4
10 11	70/ 70/ 70/	391400-S E4HZ-8600-H C5JZ-8600-E	Bolt - 5/16-18 x .875	1 1
12 13	70/ 70/90 90/ 70/90	D1JJ-8600-J C9TZ-8546-A D1DZ-8546-A 379206-S2	Fan - 6 Blade - 18.50 Inch - Pusher	1 1 1
14	90/ 90/	300891-S2 34791-S36	Bolt - 5/16-24 x 3.00 Washer - 5/16 Lock	4 4








REF.	YEAR	PART NUMBER	DESCRIPTION	QTY
NO.				300
			THERMOSTAT, FAN AND RELATED PARTS	
1 2 3 4 5 6	70/ 70/ 70/ 70/ 70/ 70/ 70/ 70/	C5TE-8575-B E5JL-8592-AA E7TZ-8592-A E5JL-8255-AA E6TZ-8255-B C5AE-9C322-A 391400-S 42998-S8	THERMOSTAT AND WATER OUTLET CONNECTION  Thermostat - 160°F  Connection - Water Outlet - Hi Fan  Connection - Water Outlet Connection - Hi Fan  Gasket - Water Outlet Connection - Lo Fan  Bracket - Fuel Pump To Carburetor Tube  Bolt - 5/16-18 x .875  Bolt - 3/8-16 x 1.00 - Hi Fan	1 1 1 1 1 1 2 2
7 8 9 10 11 12 13 14	70/ 70/ 70/ 70/ 70/ 70/ 70/ 70/ 70/	EAG-8600-B C5JZ-8600-N C7JZ-8600-D E5JL-8625-BA 42760-S8 C5JZ-8633-A 88423-S36 44878-S2 34422-S8 C7JZ-8620-H	FAN ASSEMBLY - HI MOUNT Fan - 5 Blade - 17.00 Inch - Suction Fan - 6 Blade - 18.50 Inch - Suction Fan - 6 Blade - 18.50 Inch - Pusher Bracket And Pulley Assembly Screw And Washer - 5/16-18 t 7/8 Guide - Fan Bracket Stud - 7/16-14-20 x 1.88 Washer - 7/16 Flat Nut - 7/16-20 Hex Lock Bolt - Fan 1/2 x 40.40	1 1 1 1 4 1 2 2 2 1








REF. NO.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
			FUEL PUMP AND RELATED PARTS	
1 2 3 4 5 6 7 8	70/ 70/ 70/ 70/ 70/ 70/ 70/ 70/76 70/76	D2TE-9350-RA C3AZ-9417-B 20426-S8 34791-S36 C2AA-9324-A N807603-S8 C4AZ-9365-B C5JZ-9369-B DOJJ-9369-A/NR D7JL-9369-A	PUMP ASSEMBLY - FUEL  Pump  Gasket - Fuel Pump  Bolt - 5/16-18 x 1.25  Washer - 5/16 Lock  Hose - Fuel Tube Connector  Clamp - Hose  Fuel Filter Element  Fuel Line - Fuel Pump To Carburetor - Used With Mechanical Governor - Holley 1904 Carburetor - Used Without Mechanical Governor Holley 1904 Carburetor - Used Without Mechanical Governor Holley 1904 Carburetor - Not Serviced  Fuel Line - Fuel Pump To Carburetor - Used Without Mechanical	1 1 2 2 1 2 1
	76/	D7JL-9369-B	Governor Holley 1940 Carburetor	1
9	76/ 70/76	D7JL-9369-B 382987-S	Fuel Line - Fuel Pump To Carburetor - Used With Mechanical Governor Holley 1940 Carburetor Strap - Bundling  Strap - Bundling	1 1








REF. NO.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
			MANIFOLD, EXHAUST SYSTEM AND RELATED PARTS	
			MANIFOLD ASSEMBLY - INTAKE	
1	70/76	C5AZ-9424-E	Manifold Assembly	1
2	76/ 70/	D7TZ-9424-M E5TZ-9439-C	Manifold Assembly	1 1
_	. 0,	20.20.000	MANIFOLD ASSEMBLY - EXHAUST	
3	70/83	E3TZ-9426-D	Manifold Assembly	1
	84/	E4TZ-9426-D	Manifold Assembly	1
4 5	70/ 70/	C5AZ-9A430-A E7TZ-9443-A	Shaft And Counterweight Assembly - Exhaust Control Valve	1 A/R
6	70/	390530-S2	Bolt - 3/8-16 x 1.312	A/R
7	70/ 70/74	390528-S100	Stud - 3/8-16 x 2.42	A/R 1
8 9	70/74 70/	C5AZ-9448-B C5AZ-9449-A	Gasket - Manifold Spring - Exhaust Control Valve	
10	70/	C5AZ-9A458-A	Stop - Exhaust Control Valve Spring	1
11 12	70/ 70/	C5AZ-9460-A C5AZ-9462-A	Valve - Exhaust Control  Bushing - Exhaust Control Valve	1 1
12	70/ 70/	C5AZ-9462-A C5AZ-9462-C	Bushing - Exhaust Control Valve010 O/S	A/R
13	70/	C5AZ-9462-B	Bushing - Exhaust Control Valve	1
14 15	70/ 70/	C5AZ-9A469-A E8TZ-9427-A	Spring - Exhaust Control Valve Tension	1 1
16	70/	E7TZ-9427-A	Stud - 3/8-16-24 x 4.75	2
17	70/	C9AZ-6212-B	Nut - 3/8-24	3
			EXHAUST PIPE, MUFFLER AND RELATED PARTS	
18	84/	376699-S2	Stud - 7/16-14 x 2.18	2
19 20	84/ 84/	387039-S60 D2AA-5269-AA	Nut 7/16-14 Flange - Exhaust Pipe	2
21	84/	E3JL-5220-AA	Pipe - Exhaust - Underhood Muffler	1
	84/	E3JL-5220-BA	Pipe - Exhaust - Hood Top Muffler	1
22	84/ 84/	E3JL-5220-CB EOJL-5A231-AA	Pipe - Exhaust - Low Mounted Muffler  Clamp - Exhaust Pipe	1 A/R
23	84/	C4JZ-5246-A	Pipe - Inlet Extension - Hood Top Muffler	1
24 25	84/ 84/	C5JZ-5246-B C5JZ-5230-A	Elbow - Exhaust Outlet - Hood Top muffler	1 1
20	84/	C5TZ-5230-A	Muffler - Hood Top	
	84/	COJZ-5230-A	Muffler - Low Mount	1
26 27	84/ 70/	C5JZ-5288-A C7NN-5C208-EKG	Support - Exhaust Outlet - Hood Top Muffler	1 1
28	91/	F1JL-5E297-AA	Heat Shield	1








REF. NO.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
			CARBURETOR AND RELATED PARTS	300
1 2 3 4 5 6	70/76 76/ 70/76 70/ 70/ 70/76 76/ 70/76 76/ 70/	D3JL-9510-B D7JL-9510-A C5AZ-9A589-A 359524-S8 355571-S C5JZ-9485-B D7JL-9485-B 281 302217-S2 C5JZ-9447-A	CARBURETOR ASSEMBLY - WITH MECHANICAL GOVERNOR  Carburetor Assembly - Holley 1904 - Not Serviced Carburetor Assembly - Holley 1940  Spacer - Carburetor To Intake Manifold Stud - 3/8-16-24 x 1.30  Nut - 3/8-24 Hex Adapter - Carburetor Adapter - Carburetor Screw - 3/8-16 x 1.0 - Not Serviced Screw - 3/8-16 x .88  Gasket - Carburetor To Adapter And Adapter To Manifold	1 1 2 2 1 1 2 2 A/R
1	70/76	DOJJ-9510-A	CARBURETOR ASSEMBLY - WITHOUT MECHANICAL GOVERNOR Carburetor Assembly - Holley 1904 - Not Serviced	1
2 3 4	70/76 76/ 70/76 76/ 70/	D9JJ-9510-H/NR D9JL-9510-H/NR C5AZ-9A589-A E4TZ-9C477-A 88402-S8 355571-S	Carburetor Assembly - Holley 1904 - Not Serviced Carburetor Assembly - Holley 1940 Spacer - Carburetor To Intake Manifold Spacer - Carburetor To Intake Manifold Stud - 3/8-16-24 x 1.62 Nut - 3/8-24 Hex	1 1 2 2
7 8 9 10 11 12 13 14 15 16 17 18	70/76 76/	CT-883 CT-223-B	CARBURETOR REPAIR KIT  Kit - Repair  Kit - Repair  CONSISTS OF:  Gasket - Carburetor Flange  Gasket - Spark Valve  Gasket - Fuel Bowl To Body  Gasket - Throttle Body  Needle and Seat Assy.  Cup - Pump Piston  Power Valve  Seal - Pump Rod  Cap - Idle Limiter  Gasket - Thermo Housing Plate - Not Illustrated  Gasket - Choke Cover - Not Illustrated	1 1 7 1 1 3 1 1 1 1 1 1 1 1








REF. NO.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
			ALTERNATOR AND RELATED PARTS	
			ALTERNATOR ASSEMBLY - 12V 42 AMP	
1	70/75	D2AZ-10346-C	Alternator Assembly - Not Serviced - Replaced By D7AZ-C	1
2	70/75	C5AZ-10A313-C	Bracket - Alternator Mounting	1
3	70/75	42996-S36	Bolt - 3/8-16 x 3.4 Locking	1
4	70/75	302559-S8	* Bolt - 7/16-14 x 4.25	1
5	70/75	34793-S2	* Washer - 7/16 Lock	1
6	70/75	34670-S2	Nut - 7/10-14	1 1
7 8	70/75 70/75	385049-S100	* Spacer	
°	70/75 70/75	C5AZ-10344-K C6JZ-10344-A	Pulley - Alternator  Pulley - Alternator - Use With Mechanical Governor	
9	70/75	E5SZ-10A310-A	Fan - Alternator	
10	70/75	C5TZ-10145-G	Arm - Adjusting	Ιί
11	70/75	42961-S8	Bolt - 5/16-18 x 1.625	Ιi
12	70/75	42999-S8	Bolt - 3/8-16 x 1.12 Self Locking	1
13	70/75	44728-S36	Washer - 3/8 Flat	i
14	70/75	C9PZ-8620-GM	Belt - Drive - 15/32 x 41.31	1
15	70/75	34053-S8	★ Nut - 10-32 Hex	3
16	70/75	34803-S8	★ Washer - No. 10 Lock	3
17	70/75	33795-S8	★ Nut - 1/4-20	1
18	70/75	34805-S8	★ Washer - 1/4 Lock	1
19	70/75	FOPZ-10316-A	Voltage Regulator	1
20	70/75	C9ZZ-10094-A	Bearing - Front	1
21	70/75	DOAZ-10B301-A	Board Kit - Printed Circuit	1
			CONSISTS OF:	_
	70/75	374412-S100	Washer	2
	70/75	383255-S	Nut - 10-24	2
	70/75	383758-S8	Screw	2
	70/75 70/75	C8AF-10B301-A C9AF-10B306-A	Board Assy.	1 9
22	70/75 70/75	D6AZ-10304-A	Ring Rectifier Assembly	1 1
~~	10/13	D0AZ-10304-A	CONSISTS OF:	'
	70/75	374412-S100	Washer	2
	70/75	383255-S8	Nut - No. 10-24	2
	70/75	383256-S8	Nut - 1/4-20	2
	70/75	383758-S	Screw - No. 10-24 x 1 37/64	2
	70/75	C7AZ-1383-A	Insulator	1
	70/75	DOAF-10A383-A	Insulator - Diode Plate	1
	70/75	DOZF-10304-B/NR	Rectifier	1
23	70/75		Screw- No. 10-24 x 1-37/64 - Not Serviced Separately	2
24	70/75	D2OZ-10A304-A	Bearing - Rear	1
25	70/75	C5AZ-10329-D	Insulator - Terminal - White - 9/32 ID x 5/8 OD x 1/4 Thick	1
26	70/75	C5AZ-10329-C	Insulator - Terminal - 1/16 x 3/4 x 1	1
27	70/75	E6AZ-10333-A	Housing - Front	1
28	70/75 70/75	D7ZZ-10334-A	Housing - Rear	1
29 30	70/75 70/75	378466-S100 F27Z-10335-A	Bolt - Hex Washer Head - No. 10-24 x 2-1/8	3
30	70/75 70/75	E43Z-10335-A	Rotor Assembly - Includes Stop RingStator Assembly	
32	70/75 70/75	C6VY-10347-A	Brush And Terminal Set	
اعد	10/10	00 v 1-100+/-/A	CONSISTS OF:	'
	70/75	C6VF-10A367-A	Brush And Terminal	1
	70/75	C6VF-10A367-B	Brush And Terminal	1
33	70/75	383255-S	Nut - 10-24	1
34	70/75	C5AZ-10349-A	Spring - Brush	2
35	70/75	C5AZ-10351-A	Holder - Brush	1
			* Attach Alternator To Mounting Bracket	
			Attach Arm To Alternator	
			★ Attach Wires To Alternator Terminals	








REF. NO.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
			ALTERNATOR AND RELATED PARTS (CONTINUED)	
			ALTERNATOR ASSEMBLY - 12V 42 AMP (CONTINUED)	
36	70/75	D2OZ-10A355-A	Retainer - Front Bearing	1
37 38	70/75 70/75	C9SZ-10A383-A	Screw No. 10-32 x 3/8 - Not Serviced	3
	10,10	10002 1071000 71	CONSISTS OF:	
	70/75	C7AF-10329-D	Insulator - Terminal	1 1
	70/75 70/75	C7AF-10A383-A C9SF-10A883-A	Insulator - Diode Plate	1 1
39	70/75	D1AZ-10A383-A	Insulator Kit - Battery Terminal	1
	70/75	DOAF-10329-A	CONSISTS OF: Insulator - Terminal	1 1
	70/75	DOAF-10329-A DOAF-10A383-A	Insulator - Diode Plate	
40	70/75	C6AZ-18827-A	Capacitor - Radio	1
			ALTERNATOR - MOTOROLA - 12V - 37 AMP	
1 2	75/ 75/	D3JL-10346-AB C4AZ-10A313-C	Alternator And Regulator - 37 Amp Less Pulley  Bracket - Alternator Mounting	1 1
3	75/	42996-S36	† Bolt - 3/8-16 x 3/4 Locking	3
4	75/	58666-S36	† Bolt - 7/16-14 x 4.25	1
6	75/	382400-S2	† Nut - 7/16-14	1
8	75/ 75/	D3JL-10A352-D E5JL-10344-AA	Pulley - Alternator - Double Sheave	1 1
10	75/	C5TZ-10145-G	Arm - Adjusting	1 1
11	75/	42961-S8	♦ Bolt - 5/16-18 x 1.625	1
12 13	75/ 75/	42999-S8 44728-S36	♣ Bolt - 3/8-16 x 1.12 - Self Locking	1 1
14	75/ 75/	C9PZ-8620-GM	Washer - 3/8 Flat  ★ Belt - Drive - 15/32 x 41.31	1 2
19	75/	D3JL-10316-A	Regulator - Voltage	1
			★ Must Be A Matched Set	
			† Attach Alternator To Mounting Bracket	
			♦ Attach Adjusting Arm Thru Front Cover To Block	
			Attach Adjusting Arm To Alternator	






IE-444A



REF. NO.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
			STARTER AND RELATED PARTS POSITIVE	000
			ENGAGEMENT	
			STARTER AND DRIVE ASSEMBLY	
1	70/77 77/81	D6OZ-11002-A	Starter Motor - 12V - Not Serviced	1 1
	81/83	D7OZ-11002-A E1AZ-11002-B	Starter Motor - 12V - Not Serviced Starter Motor - 12V - M	
	83/84	E3AZ-11002-A	Starter Motor - 12V - Not Serviced	Ιi
	84/92	E4DZ-11002-B	Starter Motor - 12V - Not Serviced	i
2	70/83	D7AZ-11005-A	Armature	1
	83/84	E2BZ-11005-A	Armature	1
	84/91	E3FZ-11005-A	Armature	1
3	70/77	DOAZ-11K013-A	Seal - Drive End Housing - Not Serviced Separately	1
4	70/77	CODZ-11036-A	Washer - Armature Thrust - Not Serviced	1
5 6	70/92 70/77	C6VY-11036-A C4TZ-11049-B	Washer - Drive ThrustPlate And Bushing - Brush End	1 1
0	77/83	D7AZ-11049-A	Plate And Bushing - Brush End	¦
	83/92	E4AZ-11049-A	Plate And Bushing - Brush End	;
7	70/92	D3AZ-11052-A	Bushing - Brush End Plate	li
8	70/77	CODZ-11057-B	Brush Set	1
			CONSISTS OF:	
	70/77	55	Instruction Sheet	1
	70/77	18-11056	Brush Set	1
	70/77	25247-S7	Screw	1
	70/77	C5AF-11055-A/NR	Brush	1
	70/77 77/83	CODF-11056-B/NR D7AZ-11057-A	Brush Set	1 1
	11/63	D/AZ-1105/-A	CONSISTS OF:	'
	77/83	55	Instruction Sheet	1
	77/83	50399-S36/NR	Screw	2
	77/83	D8AF-11055-BA/NR	Brush	1
	77/83	D8AF-11056-AA/NR	Brush	1
	83/92	E4PZ-11057-A	Brush Set	1
9	70/77	D1AZ-11059-A	Spring - Brush - Not Serviced	4
10	77/92	D7AZ-11059-A	Spring - Brush	4
10	70/81 81/83	D8AZ-11060-A E1AZ-11060-A	Cover - Plunger  Cover - Plunger	1 1
	83/92	E2BZ-11060-A	Cover - Plunger	
11	77/83	D7AZ-11061-A	Holder - Brush	Ιi
'	83/84	E2BZ-11061-A	Holder - Brush	i
	84/92	E4AZ-11061-A	Holder - Brush	1
12	77/83	D7AZ-11062-A	Insulator - Brush Holder	1
	83/92	E2BZ-11062-A	Insulator - Brush Holder	1
13	70/77	CODF-11065-A	Gasket - Plunger Cover	1
14	70/77 77/81	CODF-11067-B	Lever - Drive Lever - Drive	1 1
	81/83	D7AZ-11067-A E1AZ-11067-A	Lever - Drive	
	83/92	F2BZ-11067-A	Lever - Drive - Includes Pin	;
16	77/81	378962-S	Pin - Lever to Housing - Not Serviced	Ιi
	81/83	389130-S	Pin - Lever to Housing	1
	70/77	73266-S	Pin - Lever to Housing - Not Serviced	1
17	70/77	C6VY - 11082-B	Coil - Field - Complete	1
	77/83	D7OZ-11082-A	Coil - Field - Complete	1
	83/84	E2BZ-11082-A	Coil - Field - Complete	1
,	84/92	E4AZ-11082-A	Coil - Field - Complete	1
18	77/92	385022-S100	Screw And Washer - Cable To Plate	1
19	70/83 83/84	C3AZ-10120-A E2BZ-11091-A	Bolt - ThruBolt - Thru	2 2
	83/84 84/92	E3FZ-11091-A	Bolt - Thru	2
	0 1/02	25.2 1100174		-
				1






IE-444A



REF. NO.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
			STARTER AND RELATED PARTS POSITIVE ENGAGEMENT (CONTINUED)	
20	70/77	34805-S8	Washer - 1/4 Lock	2
21	70/77	CODZ-11102-C	Field Terminal Kit - Not Serviced	1
22	70/83	C1VF - 11103-A	Spring - Plunger Return	1
00	83/92	C2DF-11103-A	Spring - Plunger Return	1 1
23	77/83 83/84	D7AZ-11A120-A E2BZ-11A120-A	Grommet	
	84/92	E3FZ-11A120-A	Grommet	i
25	70/70		Screw - Round head 10-32 x 1.625 - Not Serviced	1
26	70/77		Nut - Square - 10-32 - Not Serviced	1 1
27	70/81	D1AZ-11130-C	Housing Kit - Drive End  CONSISTS OF:	1
	70/81		Instruction Sheet	1
	70/81	C2DZ-11222-A	Ring - Drive Stop	i
	70/81	C2DZ-11223-A	Retainer	1
	70/81	C6VY-11036-A	Washer - Drive Thrust	1
	70/81	D1PF-11A130-AA	Lubricant	1 1
	70/81 70/81	D2AF-11130-EA DOAZ-11K013-A	HousingSeal - Drive End Housing - Not Serviced Separately	1 1
	81/83	E1AZ-11130-B	Housing - Assy Includes Bearing	i
	83/92	E4AZ-11130-A	Housing - Assy Includes Bearing	1
28	70/77	C2OZ-11134-C	Point Kit - Contact	1
	70/77		CONSISTS OF:	1
	70/77 70/77	57013-S	Instruction Sheet	
	70/77	C2DZ-11068-A	Insulator	i
	70/77	C2OF-11116-B/NR	Spring	1
	70/77	C2OZ-11176-B	Post	1
	70/77	C2OZ-11181-A	Insulator	1
	77/83	D7AZ-11134-A	Point Kit - Contact  CONSISTS OF:	1
	77/83	387446-S	Rivet	1
	77/83	387447-S	Rivet	1
	77/83	D8AF-11068-AA	Insulator	1
	77/83 77/83	D8AF-11071-AA D8AF-11116-AA	Terminal	1 1
	77/83	D8AF-11177-AA	Post	
	77/83	D8AF-11181-AA	Insulator	1
	83/92	E2PZ-11134-A	Point Kit - Contact	1
	00/00	000000	CONSISTS OF:	١,
	83/92 83/92	389393-S 389394-S	Rivet	
	83/92	D8AF-11068-AA	Insulator	Ιi
	83/92	D8AF-11071-AA	Terminal	1
	83/92	E2BF-11116-AA	Spring	1
	83/92	E2BF-11177-AA	Post	1
29	83/92 83/92	E2BF-11181-AA	Insulator  Retainer Assy Cover (Screw) No. 10 Self Tapping - Not Serviced	1 1
20	77/83	388015-S100/NR	Retainer Assy Cover (Screw) - 10-32 x 5/8	Ιi
30	70/92	C2DZ-11222-A	Ring - Drive Stop	1
31	70/92	D6AZ-11223-A	Retainer - Drive Stop Ring	1
32	70/83	D6PZ-11350-B	Drive Assembly - Includes Attaching Parts	1
	83/92	E2PZ-11350-A	Drive Assembly - Includes Attaching Parts	1
00	70/00	E4 II 44 450 AA	RELAY STARTER	
33 34	70/92 70/92	E4JL-11450-AA C2RZ-14431-C	Relay - Starter  Cable - Relay To Starter	1 1
54	10,02	32112 1-TTO1-0	Cable Floay to clarter	'
1 .	1	ı		1








REF. NO.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
			STARTER AND RELATED PARTS PERMANENT MAGNET	
			STARTER AND DRIVE ASSEMBLY	
1	92/	F7SU-11002-A1B F6VY-14A411-AA	Starter	1
2	92/	E9OZ-11005-A	Armature	1
3 4	92/ 92/	E9OZ-11036-A E9OZ-11049-A	Washer Plate And Bearing - Brush End	1 1
5	92/	E90Z-11049-A E90Z-11061-C/NR	Holder - Brush - Includes Brushes	
6	92/	E9OZ-11067-A	Lever	1 1
7 8	92/ 92/	E9OZ-11075-A E9SZ-11091-A	Frame And Magnet Assembly Bolt - Thru	1 2
9	92/	E9OZ-11A091-A	Kit - Attaching	1
40		N005400 C400	CONSISTS OF:	,
10 11		N805403-S100 N805406-S36B	Nut And Washer - M8 Screw - M5 x 10.40mm - Serviced in Kit Only	1 2
12		N805405-S36B	Screw - M6 x 35.3mm - Serviced in Kit Only	2
13	92/	F2SZ-11130-A	Housing - Drive End - Includes Bearing	1
14 15	92/ 92/	MC-209-A E9OZ-11135-A	Bearing Bearing - Planet	1 3
16	92/	F2TZ-11135-A	Bearing - Drive End Housing	1
17 18	92/ 92/	E9OZ-11A165-A E9OZ-11A167-A	Gear - Stationary Retainer - Gear	1 1
19	92/	E90Z-11A171-A	Seal	1
20	92/	E90Z-11A172-A	Ball - Armature Thrust	1
21 22	92/ 92/	E9OZ-11K190-A C2DZ-11222-A	Gear Assembly - Planet - Includes Bearing Ring - Drive Stop	3
23	92/	D6AZ-11223-A	Retainer - Drive Stop Ring	1
24 25	92/ 92/	E9OZ-11350-A FOTZ-11355-A	Drive Assembly - Includes Ring And Retainer	1 1
26	92/	E90Z-11390-B	Shaft Assembly - Output Solenoid	
27	92/	97476-S2	Ring - Retaining	1
28	92/	F6VZ-11N087-AA	Cover - Solenoid Terminal	1
			RELAY - STARTER	
29	92/	E4JL-11450-AA	Relay - Starter	1
Ì		i l		I








REF.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
			IONITION DADTO	300
			IGNITION PARTS	
			COIL ASSEMBLY	
1	70/85	B6A-12029-B	Coil	1
2	86/ 70/	D5AZ-12029-A B8S-12043-B	CoilStrap - Coil Mounting	1 1
3	70/	200 120 10 2	Bolt - 8-32 x 1.75 - Strap To Coil - Not Serviced	1
4	70/	34052-S8	Nut - No.8-32 - Strap to Coil	1
5	70/ 70/	387595-S2 57644-S2	Stud - Strap To Engine - 3/8-16-16 x 1.99 Screw And Washer - Strap To Engine - 3.8-16 x .75	A/R 1
			DISTRIBUTOR	
6	70/86	E4JE-12127-BA	Distributor Assembly - Less Cap And Rotor - Conventional	1
	86/	E2TE-12127-ABA	Distributor Assembly - Less Cap And Rotor - Breakerless  CONSISTS OF:	1
7	70/83	OF A 7 40400 A	Sleeve - Shaft Plate - Not Serviced	1
8 9	70/83 70/83	C5AZ-12120-A 7RA-12144	Bushing - Distributor Housing	1 2
10	70/83	B-12145	Rivet - Terminal Housing Hold Down Clamp	2
11	70/83	D2PZ-12151-B	Plate Assembly - Breaker - Less Points	1
12	70/83 84/86	C9AZ-12171-B	Point Set Assembly - Breaker Arm And Contact	1
13	70/83	D4ZZ-12171-B	Point Set Assembly - Breaker Arm And Contact	1 1
14	70/83		Nut - No. 6-32 - Not Serviced	i
15	70/83	D2TZ-12175-A	Shaft Assembly - Not Serviced	1
16	84/ 70/	D3TZ-12175-A	Shaft Assembly	1
16 17	70/ 70/83	B7A-12177-A C8AZ-12179-A	Retainer - Cam	
18	70/83	C5AZ-12188-A	Weight Assembly - Distributor	2
19	70/83	355571-S	Washer - "C" Type	2
20 21	70/83 70/83	C7VY-12216-A C8JJ-12239-B	Wire Assembly - Plate Terminal  Dust Cover	1 1
22	70/83	C000-12239-D	Washer - No. 6 Lock - Not Serviced	
23	70/83		Nut - No. 6-32 - Not Serviced	1
24	70/83	D2AZ-12264-A	Wire Assembly - Breaker Ground	1
25	70/83 84/	C9AZ-12300-A D4ZZ-12300-A	Condenser Condenser	1 1
26	70/83	D422-12300-A	Diaphragm Assembly - Distributor - Not Serviced	
27	70/83	351826-S	Washer - "C" Type	1
28	70/	C5TZ-12390-A	Gear - Distributor Driven	1
29	70/	61489-S	Pin - Driven Gear	1
	70/00	7114 40400	CAP - DISTRIBUTOR	
30	70/83 84/	7HA-12106 E5DZ-12106-A	Сар Сар	1 1
			ROTOR - DISTRIBUTOR	
31	70/83	D5PZ-12200-B	Rotor	1
	84/	E6TZ-12200-D	Rotor	1
			CLAMP - DISTRIBUTOR TO CYLINDER BLOCK	
32 33	70/ 70/	C3AZ-12270-A 42955-S8	Clamp Bolt - 5/16 - 18 x .875	1
			RESISTOR - IGNITION	
34	70/	D9JL-12250-A	Resistor - Ignition	1
			<ul> <li>On Engines Built Prior to 1984 - Necessary To Add Cap, Rotor, Adapter And Spark Plug Wires</li> </ul>	
				•








REF. NO.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
			IGNITION PARTS (CONTINUED)	
35 36	70/ 70/	B6P-14495-B	RESISTOR - IGNITION (CONTINUED)  Wire - Coil To Resistor - Not Serviced  Wire Assembly - Coil To Distributor - High Tension - Not Serviced Separately	1 1
37	70/	C8DE-12226-G	HOSE - DISTRIBUTOR VACUUM  Hose - Distributor Vacuum - Cut To Length	1
38 39	70/85 86/ 70/83 84/	BSF-3 BSF-42-C E5PZ-12259-LR E9TZ-12259-J	SPARK PLUG - ASSEMBLY Spark Plug	6 6 1 1
40 41 42 43 44 45	84/ 86/ 86/ 86/ 86/ 70/	E3DZ-12A217-A D5DZ-12A099-A D5TZ-12A112-B 351826-S D9VZ-12A199-A D7JL-12A200-A E3TZ-12143-AMR	IGNITION COMPONENTS - MISCELLANEOUS  Adapter - Cap To Distributor  Armature Stator Assembly Washer - "C" Type Module - Ignition Wire Assembly - Ignition Module "O" Ring - Not Serviced	1 1 1 1 1 1 1






MECHANICAL GOVERNOR AND RELATED PARTS — TYPICAL

IE-53A



REF. NO.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
			GOVERNOR AND RELATED PARTS	
1 2 3 4 5 6 7 8 9 10 11 12 13 14 4 5 6 7 8 9	70/90 91/ 70/90 91/ 70/90 70/90 70/90 70/90 70/90 70/90 70/90 70/90 70/90 91/ 91/ 91/ 91/ 91/	C5JZ-12450-H F1JL-12450-AB C7JZ-8620-P C9PZ-8620-AN E5JL-12448-AA E5JL-12448-AA E5JL-12454-A 20389-S8 FPP-44726-S2 34792-S36 C5JZ-99810-A 33796-S36 34905-S8 58635-S36 D7JL-99810-A 33796-S36 F1JL-12454-AB 20389-S8 FPP-44726-S2 34792-S36 C7JZ-99819-C C7JZ-99810-A	Governor Assembly - Mechanical - Variable Speed Governor Assembly - Mechanical - Variable Speed Belt - 3/8 x 25.625 Belt - 15/32 x 50.00 Kit - Governor Attaching CONSISTS OF: Bracket - Governor Mount  * Bolt - 3/8-24 x 1.0  * Washer - 3/8 Flat  * Washer - 3/8 Lock Rod - Throttle Ball Joint - 1/4-28 Nut - 1/4-28 Washer - 1/4 Lock Bolt - 3/8-16 x 1.25 Ball Joint - 1/4-28 Nut - 3/8-16 x 1.25 Ball Joint - 3/8-24 x 1.0  * Washer - 3/8 Flat  * Masher - 3/8 Lock Rod - Throttle Ball Joint - 1/4-28	1 1 1 1 1 3 3 4 1 1 2 1 1 3 3 3 1 1 1
10 12 13 14 15 16 17	91/ 91/ 91/ 91/ 78/ 78/ 78/ 78/	33796-S36 58635-S36 D7JL-99810-A 33796-S36 D7FL-12480-G D7JL-12480-H/NR D8JL-12480-D E2JL-9369-AA C8DE-12226-G	Nut - 1/4-28 Bolt - 3/8-16 x 1.25 Ball Joint - 1/4-28 Nut - 1/4-28  GOVERNOR - VELOCITY - NOT ILLUSTRATED  Governor Kit - 2800 To 3400 RPM Governor Kit - 3400 To 3800 RPM - Not Serviced Governor Kit - 2000 To 2800 RPM Fuel Line Hose - Distributor Vacuum - Cut To Length  * Governor To Bracket	2 1 1 2 1 1 1 1








REF.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
			RADIATOR, RADIATOR SUPPORT AND RELATED PARTS	300
1	70/88 88/90	D8JL-8005-D/NR E7JL-8005-AA	Radiator AssemblyRadiator Assembly	1
2	91/ 70/88 88/	F1JL-8005-AA C7TZ-8100-B E2NN-8100-AA	Radiator Assembly Cap - Radiator - 7 PSI Cap - Radiator - 7 PSI	1 1 1
3	70/90 70/90	D7JL-8146-A D8JL-8146-B	Shroud Assembly - Suction Fan Shroud Assembly - Pusher Fan	1 1
4	91/ 70/	F1JL-8146-AA 8A-8115-A	Shroud Assembly - Fan	1
5	70/90 70/90 91/	F7JL-8125-AA C1TT-8A421-A E5TZ-8124-C	Insulator - Oblong Insulator - Round Insulator	2 2 2
6	70/90 91/	382873-S100 F1JL-8K027-AA	Washer - 7/16 Flat	2 2
7	88/90 91/	58836-S8 58833-S2	Bolt - 7/16-14 x 1.75 - Carriage Bolt - 7/16-14 x 1.0 - Carriage	2 2
8 9	70/90 70/90 70/90	34978-S2 E2JL-8046-AA E2JL-8046-BA	Nut - 7/16-14 Locking Brace - Radiator - Left Brace - Radiator - Right	2 1 1
10 11	70/90 70/90 70/88	56701-S8/NR E8JL-8260-AA	Bolt - 1/4-20 x .50	2
	88/90 91/	E8JL-8260-AA F1JL-8260-AA	Hose - Radiator Upper Hose - Radiator Upper	1
12 13	70/90 91/ 70/	C5JZ-8286-D F1JL-8287-AA B7A-8287-B	Hose - Radiator Lower Hose - Radiator Lower Clamp - Radiator hose	1 1 4
14	70/90 91/	C5JZ-5019-D F1JL-5019-BA	Support - Front Engine And Radiator	1
15	70/ 70/ 70/	43039-S2 43044-S36 380079-S36	Bolt - 7/16-14 x .875 Bolt - 7/16-14 x 1.50 Washer - 7/16 Flat	3 1 4
16 17 18	91/ 91/	F1JL-8A058-AA F1JL-8406-AA	Pin - Support - Radiator Lower	2
19	91/ 91/	F1JL-8407-AA 56538-S2	Support - Radiator Upper - Left Bolt - Washer head - 3/8-16 x .75	1 4
20 21	91/ 91/	B13Z-8125-A N805403-S100	Stud - Insulator - Upper Radiator Support	2 4








REF. NO.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
1 2 3 4 5 6 7 8 9	70/76 70/76 70/76 70/76 70/76 70/76 70/76 70/76 70/76	C4JZ-9600-C C4JZ-9628-C 304635-S2 33798-S8 34791-S36 383527-S D7JL-9520-A E2JL-9628-AA/NR E6JL-9652-BA D4JL-9654-A	AIR CLEANER AND RELATED PARTS REMOTE OIL BATH  AIR CLEANER - USE WITH HOLLEY 1904 CARBURETOR Air Cleaner	1 2 4 4 2 1 1 1
1 2 3 4 5 6 7 8 9 10 11 12 13 14	76/ 76/ 76/ 76/ 76/ 76/ 76/ 76/ 76/ 76/	C4JZ-9600-C C4JZ-9628-C 304635-S2 33798-S8 34791-S36 383527-S D9JL-9520-A E6JL-9652-BA C5JZ-9654-AB 382565-S8 B2P-9611-A 44725-S8 358871-S36B D1FZ-6A664-B	AIR CLEANER - USE WITH HOLLEY 1940 CARBURETOR  Air Cleaner Clamp - Mounting Bracket Bolt - 5/16-24 x .625 Nut - 5/16-24 Washer - 5/16 Lock Clamp Air Horn Hose - Air Horn To Air Cleaner Gasket - Air Horn To Carburetor Stud - 1/4-20-20 x 3.13 Seal Washer - 5/16 Flat Nut - 1/4-20 Wing Hose - Crankcase Vent	1 2 4 4 2 1 1 1 1 1 1 1 1 1








REF. NO.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
	76/ 76/ 76/ 76/ 76/ 76/ 76/ 76/ 76/ 76/	E0TE-9600-TA C2OZ-9601-AR 373706-S8 386285-S C3AZ-9654-D D3JL-9B663-A D8TZ-9A627-A D1FZ-6A664-B 384411-S 57633-S2 382802-S191 D1AZ-9D695-A D1AZ-9D695-A	AIR CLEANER - DRY HAT TYPE - TEAR DROP USE WITH HOLLEY 1940 CARBURETOR  Air Cleaner Element - Air Cleaner Stud - 1/4-20-20 x 3.50 Nut - 1/4-20 Wing Gasket - Adapter To Carburetor Adapter Bracket Hose - Crankcase Vent Elbow - Crankcase Vent Elbow - Crankcase Vent Hose Screw And Washer - 5/16-18 x .75 Nut - 3/8-16 Filter Assembly CONSISTS OF: Filter Retainer	QTY 300








REF.	YEAR	PART NUMBER	DESCRIPTION	QTY
REF. NO.  1 2 3 4 5 6 7 8 9 10 11 12 13	79/ 79/ 79/ 79/ 79/ 79/ 79/ 79/ 79/ 79/	D6TZ-9600-L/NR E8TZ-9601-A 382462-S100 358871-S36B E6TZ-9697-A C3AZ-9654-D D3JL-9B663-A C8DZ-9654-A D1FZ-6A664-B 384411-S D1AZ-9D695-A D1AZ-9D695-A	AIR CLEANER - DRY HAT TYPE - ROUND USE WITH HOLLEY 1940 CARBURETOR  Air Cleaner Element - Air Cleaner Stud - 1/4-20-20 x 2.375 Nut - 1/4-20 Wing Grommet Gasket - Adapter To Carburetor Adapter Gasket - Air Cleaner To Adapter Hose - Crankcase Vent Elbow - Crankcase Vent Elbow - Crankcase Vent Hose Filter Assembly CONSISTS OF: Filter Retainer	9TY 300 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1








REF.	YEAR	PART NUMBER	DESCRIPTION	QTY
NO.				300
1 2 3 4 5 6 7 8 9 10 11 12 13	91/ 91/ 91/ 91/ 91/ 91/ 91/ 91/ 91/ 91/	C6JZ-9600-B FA-131 C6JZ-9628-B 56520-S2 379930-S36 C8JJ-9604-A F1JL-9520-AA C5JZ-9654-AB 382565-S8 383256-S36 F1JL-9B639-AA 383527-S B7AZ-8287-D	AIR CLEANER - DRY REMOTE TYPE USE WITH HOLLEY 1940 CARBURETOR  Air Cleaner Element - Air Ceaner Clamp Assembly Bolt - 5/16-18 x .75 Nut - 5/16-18 - Washer Head Cap - Air Inlet Air Horn Gasket - Air Horn To Carburetor Stud - 1/4-20-20 x 3.13 Nut - 1/4 x 20 Hose Clamp Clamp	1 1 2 4 4 1 1 1 1 1 1








REF. NO.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
			FRONT SHELL, HOOD TOP, REAR PANEL AND RELATED PARTS	
1 2	70/90 70/90	E2JL-8200-BA/NR E6JL-16924-DA/NR	Shell - Radiator - Not Serviced	1 1
3 4	70/90 70/90 70/90	EOJL-16612-HA C5JZ-16621-B C5JZ-16621-C	Hood Top	1 1 1
5	70/80 70/90 70/90	C9JJ-16621-D/NR C5JZ-16620-F	Bracket - (For Use With Converter Housing) - Not Serviced	1 1 2
	70/80 70/90 70/90	C5JZ-16620-L/NR C9JJ-16620-E/NR E6JL-16620-AA	Bracket - RH (For Use With Converter Housing) - Not Serviced	1 1 1
6	70/90 70/80 70/90	C5JZ-16620-D C5JZ-16620-K/NR C9JJ-16620-D/NR	Bracket - LH (For Use With Clutch Housing)  Bracket - LH (For Use With Converter Housing) - Not Serviced  Bracket - LH (For use With Models Less Housing) - Not Serviced	1 1 1
7 8	70/90 70/90 70/90	56520-S2 359219-S8 34791-S36	Bolt - 5/16-24 x .88	A/R 2 A/R
9 10 11	70/90 70/80 70/80	33798-S8 B4P-16606-A 355891-S2/NR	Nut - 5/16-24	A/R 1 4
12 13 14	70/90 70/90 70/90	D9JL-16B906-D 57632-S2 42999-S8	Stripe - Front Shell Identification	2 1 1
15 16	70/90 70/90	E2JL-16618-AA E2JL-16619-AA	Side Panel - Right - Not Illustrated	1 1
17	70/75 75/85	C5JZ-14305-C/NR D3JL-14305-A	WIRING HARNESS  Harness - Main Wiring - Motorcraft Alternator - Not Serviced  Harness - Main Wiring - Motorola Alternator	1 1
	86/90	E6JL-14305-HA	Harness - Main Wiring - Motorola Alternator	1








REF. NO.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
			FRONT SHELL, HOOD TOP, REAR PANEL, SIDE PANELS AND RELATED PARTS	300
1	91/	E9JL-8200-AD	Shell - Radiator	1
2	91/	E9JL-16924-AD	Panel - Rear - Rear Mounted Instructions	
	91/	E9JL-16924-BD	Panel - Rear - Side Mounted Instructions	1 1
3	91/	F3JL-16612-AA	Hood Top	1
4 5	91/ 91/	F1JL-16619-AA F1JL-16621-AB	Panel - Side  Bracket - Center - Use With Clutch Housing	2
	91/	F1JL-16621-BB	Bracket - Center - Use With SAE Housing	1
6	91/ 91/	F1JL-16620-BB F1JL-16620-CB	Bracket - Rear - Left - Use With SAE Housing Bracket - Rear - Left - Use With Clutch Housing	1 1
7	91/	F1JL-16620-AB	Bracket - Rear - Right - Use With SAE Housing	1
8	91/ 91/	F1JL-16620-DB 45264-S101	Bracket - Rear - Right - Use With Clutch Housing Nut - 5/16-18 - U Type	1 10
9	91/	56520-S2	Bolt - 5/16-18 x .75	22
10 11	91/ 91/	33770-S2 F1JL-8A337-BA	Nut - 5/16-18 Baffle - Radiator	6
12	91/	388577-S	Pin - Push - 1/480	8
13 14	91/ 91/	56560-S2 FCJL-16A618-AA	Bolt - 7/16-14 x 1.00 Damper - Side Panel	A/R   4
15	91/	F1JL-16A619-AB	Cover - Alternator	1
16 17	91/ 91/	380334-S E9JL-6A082-AB	Rivet Latch - Side Panel	20
1				1








REF. NO.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
			INSTRUMENTS AND GAUGES	
1 2 3 4 5 6 7	74/90 74/86 74/90 74/90 74/85 74/85 86/90 74/90	E6JL-10883-AA D8JL-10911-A EOJL-14522-AA EOJL-14522-BA 2C-11500-A C5JZ-11572-A D9JL-11572-A C6JZ-9775-J C1JZ-9700-A	Gauge - Water Temperature - Includes Adapter	1 1 1 1 1 1 1
1 3 5 8 9	86/90 86/90 86/90 86/90 86/90 86/90	E5JL-10883-AA EOJL-14522-AA EOJL-14522-BA D9JL-11572-A C3JZ-11451-A D6JL-9F316-A	INSTRUMENTS AND GUAGES - SAFETY  Gauge - Water Temperature	1 1 1 1 1
10 11	83/90 83/90	E3JL-17C360-AA E8JL-17A299-AA	TACHOMETER / HOURMETER - ELECTRICAL  Meter - Tachometer And Hour	1 1








REF. NO.	YEAR	PART NUMBER	DESCRIPTION	QTY 300
	91/ 91/ 91/ 91/ 91/ 91/ 91/ 91/ 91/ 91/	D3JL-9G272-B D9JL-18676-A 87379-S 353107-S101 E5JL-10883-AA D8JL-10797-A E3JL-17C360-AA E8JL-17380-AC F0JL-10953-AA 34653-S36	INSTRUMENTS AND GAUGES  Gauge - Oil Pressure Tube - Oil Pressure Elbow 90 Degree 1/8 Tube To 1/8 Pipe Bushing - Reducer - 1/4 To 1/8 Gauge - Water Temperature Voltmeter Meter - Tachometer And Hour Plate - Tachometer Adapter Damper - Tachometer Vibration Nut And Washer - No. 8-32	300 1 1 1 1 1 1 1 1 1 1 3 6
10 11 12 13 14 15 16 17 18 19 20 21 22	91/ 91/ 91/ 91/ 91/ 91/ 91/ 91/ 91/ 91/	F1JL-12K060-AA D3JL-10316-A E4JL-11450-AA D9VZ-12A199-A 56503-S2 33769-S2 D9JL-11572-A C3JL-11451-A 34079-S36 C2RZ-14431-C F1JL-14305-AA 381561-S36	Bracket - Alternator Voltage Regulator Regulator - Voltage Relay - Starter Module - Ignition Bolt - 1/4-20 x. 75 Nut - 1/4-20 Lock Switch - Ignition And Start Switch - Magnetic Safety Nut - No. 10-32 Cable - Relay To Starter Hamess - Wiring - 37A Alternator Nut And Washer - 5/16-18	1 1 1 1 1 8 5 1 1 1 1 1 2







<u> </u>	QTY 300
	1 1 1 1 1 1 1 1 1 1